

Supporting Information for:
Polydiacetylene-nested Porphyrin Conjugate for Dye-sensitized Solar Cells

Nuttapol Pootrakulchote,^a Chawanwit Reanprayoon,^b Jacek Gasiorowski,^c Niyazi Serdar Sariciftci^c and Patchanita Thamyongkit ^{*,d}

^a Department of Chemical Technology, Faculty of Science, Chulalongkorn University, Bangkok 10330, Thailand.


^b Program in Petrochemistry and Polymer Science, Faculty of Science, Chulalongkorn University, Bangkok 10330, Thailand.

^c Linz Institute for Organic Solar Cells (LIOS), Institute of Physical Chemistry, Johannes Kepler University Linz, Linz 4040, Austria.


^d Department of Chemistry, Faculty of Science, Chulalongkorn University, Bangkok 10330, Thailand. Fax: +662-254-1309; Tel: +662-218-7587; E-mail: patchanita.v@chula.ac.th

Table of Contents


Mass spectrum of 4	S2
Characterization data of Zn-4	S3–S5
Emission spectrum of Zn-4	S6




Mass spectrum of compound 4




$^1\text{H-NMR}$ spectrum of compound **Zn-4**



^{13}C -NMR spectrum of compound **Zn-4**.



Mass spectrum of compound **Zn-4**



Emission spectrum of compound **Zn-4**