Supporting Information:

Facile synthesis of Ag nanowires-rGO composites and their promising field emission performance

Aneeya K Samantara¹ Dillip Kumar Mishra,¹ Sachin R. Suryawanshi,² Mahendra A. More,^{2*} Ranjit Thapa,³ Dattatray J. Late,^{4,*} Bikash Kumar Jena,^{1,*} Chandra Sekhar Rout^{5*}

¹CSIR-Institute of Minerals and Materials Technology, Bhubaneswar 751013, Odisha, India

²Department of Physics, University of Pune, Pune-411007, Maharashtra, India

³ SRM Research Institute, SRM University, Kattankulathur, Chennai 603 203, Tamil Nadu, India

⁴Physical & Materials Chemistry Division, CSIR-National Chemical Laboratory, Dr. Homi Bhabha Road, Pune 411008, Maharashtra, India

⁵School of Basic Sciences, Indian Institute of Technology, Bhubaneswar 751013, Odisha, India

*Corresponding authors:

<u>datta099@gmail.com/dj.late@ncl.res.in</u> (D.J. Late), <u>csrout@iitbbs.ac.in</u> (C.S. Rout) <u>mam@physics.unipune.ac.in(MAM)</u>, <u>bikash@immt.res.in</u> (B. K. Jena),

Figure S1:




Figure S1: FESEM (a, b), TEM (c) images of GO and the corresponding SAED pattern.

Figure S2:




Figure S2: XRD pattern for GO and rGO.