Dissipative Particle Dynamics Simulation on Morphologies and Dynamics of Linear ABC Triblock Copolymers in Solutions

Chun Zhou, a Honggang Xia, *b Yang Zhou, *c and Shikai Luoc

^a School of Materials Science and Engineering, Southwest University of Science and Technology, 621010 Mianyang, China; ^b The 1st Affiliated Hospital of Dalian Medical University, Dalian, 116000; ^c Institute of Chemical Materials, Chinese Academy of Engineering and Physics, Mianyang, 621900, China. E-mail: xia honggang@126.com (H.X.) and zhouy@caep.cn (Y.Z.).

Supporting Information

Figure Legends

Figure S1. Morphological phase diagrams of *I*-BAC. Color scheme in the snapshots: A (red), B (blue), C (green).

Figure S2. Morphological phase diagrams of *I*-ABC (8-8-8). Color scheme in the snapshots: A (red), B (blue), C (green).

Figure S3. Morphological phase diagrams of *I*-ACB (4-4-4). Color scheme in the snapshots: A (red), B (blue), C (green).

Figure S1.




Figure S2.

[ABC]/φ	0.05	0.1	0.15	0.2	0.25	0.3
[222]						
[228]						
[282]					o o	
[822]						
[288]						
[828]		00				1,84
[882]						

Figure S3.

