

Electronic Supporting Information

Synthesis and Characterization of Hole-transporting Star-Shaped Carbazolyl Truxene Derivatives

Danusorn Raksasorn¹, Supawadee Namuangruk², Narid Prachumrak³, Taweesak Sudyoadsuk³, Vinich Promarak³, Mongkol Sukwattanasinitt¹, Paitoon Rashatasakhon^{1*}

¹*Department of Chemistry, Faculty of Science, Chulalongkorn University, Bangkok 10330, Thailand*

²*National Nanotechnology Center, NSTDA, 111 Thailand Science Park, Klong Luang, Pathum Thani 12120, Thailand*

³*Department of Materials Science & Engineering, School of Molecular Science & Engineering, Vidyasirimedhi Institute of Science and Technology, Wongchan, Rayong 21210, Thailand*

E-mail: paitoon.r@chula.ac.th

Tel.: +66 (2) 2187633

Fax.: +66 (2) 2187598




Figure S1 ¹H-NMR spectrum of **1** in CDCl₃




Figure S2 ^{13}C -NMR spectrum of **1** in CDCl_3




Figure S3 $^1\text{H-NMR}$ spectrum of **2** in CDCl_3




Figure S4 ^{13}C -NMR spectrum of **2** in CDCl_3

