



Biocompatible succinic acid based polyesters for potential biomedical applications: fungal biofilm inhibition and mesenchymal stem cells growth

E. Jäger,^{a,b*} R.K. Donato,^{c,*} M. Perchacz,^{a,b} A. Jäger,^{a,b} F. Surman,^a A. Höcherl,^a R. Konefał,^{a,b} K.Z. Donato,^c C.G. Venturini,^a V.Z. Bergamo,^d H.S. Schrekker,^c A.M. Fruentefria,^d M.G. Raucci,^e L. Ambrosio^e and P. Štěpánek^a

^a Institute of Macromolecular Chemistry v.v.i., Academy of Sciences of the Czech Republic, Heyrovsky Sq. 2, 162 06 Prague 6, Czech Republic.

^b Charles University Prague, Faculty of Natural Sciences, Hlavova 2030, Prague 12840 2, Czech Republic.

^c Laboratory of Technological Processes and Catalysis, Institute of Chemistry, Universidade Federal do Rio Grande do Sul. Av. Bento Gonçalves 9500, Porto Alegre, RS, CEP: 91.501-970, Brazil.

^d Laboratory of Applied Mycology, Department of Analysis, Faculty of Pharmacy, Universidade Federal do Rio Grande do Sul, Av. Ipiranga 2752, Porto Alegre, RS, CEP: 90.610-000, Brazil.

^e Institute of Polymers, Composites and Biomaterials, National Research Council of Italy, Mostrad'Oltremare Pad.20, Viale Kennedy 54, Naples, Italy.

Email: jager@imc.cas.cz; donatork@gmail.com

Tel: +420 296 809 322;

Thermogravimetric analysis (TGA) and the derivative thermal analysis (DTG)




Fig. S1. TGA (a) and DTG (b) of the polyesters (1) PES, (2) PPS and (3) PBS.