

Supporting Information

Formation of tungsten trioxide with hierarchical architectures arranged by tiny nanorods for lithium ion batteries

*Jiaqin Yang,^{a,b} Lirong Xu,^a Shina Yan,^a and Wenjun Zheng^{*a,b}*

^a School of Chemistry and Chemical Engineering, Qufu Normal University, Qufu, Shandong, 273165, China.

^b Department of Materials Chemistry, TKL of Metal and Molecule-based Material Chemistry, College of Chemistry; Collaborative Innovation Center of Chemical Science and Engineering (Tianjin), Key Laboratory of Advanced Energy Materials Chemistry (Ministry of Education), Nankai University, Tianjin 300071, China.

E-mail: zhwj@nankai.edu.cn




Fig. S1 (a) XRD pattern and (b) TG curves of the product prepared with 6 mL HCOOH at 180 $^{\circ}\text{C}$ for 12 h.




Fig. S2 XRD pattern of the products prepared with different amount of HCOOH: (a) 4 mL and (b) 12 mL.




Fig. S3 SEM images of the products prepared with different amount of HCOOH: (a) 4 mL and (b) 12 mL.




Fig. S4 The Nyquist plots of the S-1, S-2 and S-3 electrodes, respectively (The inset is the equivalent circuit).