

Supporting Information

Amorphous Ti(IV)-modified Bi₂WO₆ with enhanced photocatalytic performance

Ying Xu,^a Jia Song,^a Feng Chen,^{a,*} Xuefei Wang, Huogen Yu,^{a,b,*} Jiaguo Yu^c

¹ State Key Laboratory of Silicate Materials for Architectures, Wuhan University of Technology, Wuhan 430070, People's Republic of China

² School of Chemistry, Chemical Engineering and Life Sciences, Wuhan University of Technology, Wuhan 430070, People's Republic of China.

³State Key Laboratory of Advanced Technology for Material Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, People's Republic of China

Tel: 0086-27-87756662, Fax: 0086-27-87879468

E-mail: fchen@whut.edu.cn (F. Chen), yuhuogen@whut.edu.cn




Fig. S1 The high-resolution XPS spectra of Pt 4f for Ti(IV)-Pt/Bi₂WO₆ (5 wt%).




Fig. S2 Electrochemical impedance spectra for various samples: (a) Bi_2WO_6 ; (b) $\text{Ti(IV)/Bi}_2\text{WO}_6$ (5 wt%); (c) $\text{Pt/Bi}_2\text{WO}_6$; (d) $\text{Ti(IV)-Pt/Bi}_2\text{WO}_6$ (5 wt%).