Electronic Supplementary Information

Quinoline based mono- and bis-(thio)carbohydrazones: synthesis, anticancer activity in 2D and 3D cancer and cancer stem cell models

Aleksandra Božić,[a] Aleksandar Marinković,[a] Snežana Bjelogrlić,[b] Tamara R. Todorović,[c] Ilija N. Cvijetić,[d] Irena Novaković[e], Christian D. Muller[f*] and Nenad R. Filipović [g*]

[a]*Faculty of Technology and Metallurgy, University of Belgrade, Karnegijeva 4, Belgrade, Serbia*

[b]*National Cancer Research Center of Serbia, Pasterova 14, Belgrade, Serbia*

[c]*Faculty of Chemistry, University of Belgrade, Studentski trg 12-16, Belgrade, Serbia.*

[d]*Innovation Center of the Faculty of Chemistry, University of Belgrade, Studentski trg 12-16, Belgrade, Serbia*

[e]*Institute of Chemistry, Technology and Metallurgy, University of Belgrade, Njegoševa 12, Belgrade, Serbia*

[f]*Institut Pluridisciplinaire Hubert Curien, UMR 7178 CNRS Université de Strasbourg, 67401 Illkirch, France; E-mail: cdmuller@unistra.fr*

[g]*Faculty of Agriculture, University of Belgrade, Nemanjina 6, Belgrade, Serbia; E-mail: nenadf.chem@gmail.com*

[*]Corresponding authors:

Dr. Christian D. Muller
E-mail: cdmuller@unistra.fr
Tel: +33-688285839
Fax: +33-368854310

Dr. Nenad Filipović
E-mail: nenadf.chem@gmail.com
Tel: +381 64 3456-845
Fax: +381 11 2184-330

Content



Figure S 1. Cell death response in THP-1 cells determined after 24 h incubation with investigated compounds by means of Annexin V/propidium iodide dual staining method.



Figure S 2. Concentration-response curves established for 24 h treatment. Standard sigmoidal curves (A) with biphasic curves (B) obtained for THP-1 cells, and sigmoidal (C) curves attained for AsPC-1 cells.



Figure S 3. Cell death response in AsPC-1 cells determined after 24 h incubation with investigated compounds by means of Annexin V/propidium iodide dual staining method.



Figure S 4. Role of caspases activation in apoptotic death of THP1 cells (A) and AsPC-1 cells (B).



Figure S 5. Changes in expression of CD44 surface marker on AsPC-1 cells assessed after 72 h incubation with S2 (A), S6 (B), and S4 (C).

Table S 1. Numbering of atoms in carbohydrazone **O1-O6** and thiocarbohydrazone **S1-S6** used in NMR.

O1 (X = O) **S1** (X = S)	
O2 (X = O) **S2** (X = S)	
O3 (X = O) **S3** (X = S)	
o4 (X = O) **s4** (X = S)	

o5 (X = O) **s5** (X = S)	
o6 (X = O) **s6** (X = S)	

Table S 2. Experimental and calculated ^{1}H NMR (500 MHz, DMSO-d_6) data of **O1-O6**

Comp	O1		O2		O3		O4		O5		O6	
δ	Exp.	Calc.	Exp.	Calc.	Exp.	Calc.	Exp.	Calc.	Exp.	Calc.	Exp.	Calc.
2	8.94	9.23	8.99	9.27								
3	7.57	7.76	7.61	7.79	8.34-8.46	8.44	8.38-8.60	8.54	8.30-8.50	8.47	8.17-8.39	8.56
4	8.39	8.63	8.43	8.65	8.27	8.56	8.38-8.60	8.62	8.24	8.53	8.17-8.39	8.59
5	7.98	8.27	8.04	8.31	7.93-7.99	8.25	8.02	8.29	7.36	7.62	7.41	7.65
6	7.63	7.98	7.72	8.03	7.58	7.91	7.63	7.95	7.41	7.82	7.45	7.88
7	8.58	8.89	8.60	8.98	7.74	8.08	7.79	8.12	7.08	7.35	7.12	7.39
8					7.93-7.99	8.35	8.02	8.39	OH 9.71	7.80	OH 9.80	7.83
9	9.14	9.25	9.50	9.40	8.03	7.92	8.31	8.08	8.09	7.93	8.48	8.09
11			9.50	9.40			8.31	8.08			8.48	8.09
12												
13			8.60	8.98			8.38-8.60	8.54			8.17-8.39	8.56
14			7.72	8.03			8.38-8.60	8.62			8.17-8.39	8.59
15			8.04	8.31			8.02	8.29			7.41	7.65
16			8.43	8.65			7.63	7.95			7.45	7.88
17			7.61	7.79			7.79	8.12			7.12	7.39
18			8.99	9.27			8.02	8.39			OH 9.80	7.83
N3	10.65	7.38	11.09	7.67	10.84	7.47	11.31	7.73	10.88	7.50	11.34	7.75
N4	8.16	5.02	11.09	7.67	8.34-8.46	5.13	11.31	7.73	8.30-8.50	5.13	11.34	7.75
N5	4.12	3.23 2.82	8.99		4.15	3.20 2.80			4.14	3.21 2.89		

Table S 3. Experimental and calculated ^{1}H NMR (500 MHz, DMSO-d_6) data of **S1-S6**

Comp	**S1**		**S2**		**S3**		**S4**		**S5**		**S6**	
δ	**Exp.**	**Calc.**	**Exp.**	**Calc.**	**Exp.**	**Calc.**	**Exp.**	**Calc.**	**Exp.**	**Calc.**	**Exp.**	**Calc.**
2	8.96	9.27	9.00	9.36								
3	7.59	7.80	7.62	7.84	8.52	8.38	8,90	8.66	8.82	8.40	8.05-8.41	8.68
4	8.41	8.66	8.35-8.64	8.70	8.34	8.61	8.46-8.63	8.67	8.27	8.57	8.05-8.41	8.64
5	8.03	8.37	8.09	7.43	7.97	8.27	8.06	8.29	7.37	7.64	7.43	7.66
6	7.65	7.99	7.75	8.06	7.59	7.96	7.67	8.00	7.42	7.87	7.43	7.92
7	8.73	8.85	8.88	9.14	7.75	8.12	7.82	8.19	7.09	7.39	7.14	7.45
8					7.97	8.40	8.06	8.46	OH 9.80	7.79	OH 9.89	7.83
9	9.30	9.35	9.91	9.86	8.18	7.95	8.40	8.48	8.23	7.96	8.89	8.48
11			9.48	9.48			8.20	8.05			8.53	8.06
12												
13			8.35-8.64	9.04			8.46-8.63	8.53			8.05-8.41	8.68
14			7.75	8.11			8.46-8.63	8.68			8.05-8.41	8.64
15			8.09	8.41			8.06	8.29			7.43	7.66
16			8.35-8.64	8.66			7.67	7.98			7.43	7.90
17			7.62	7.82			7.82	8.15			7.14	7.41
18			9.00	9.30			8.06	8.46			OH 9.89	7.81
N3	11.67	8.26	12.18	10.37	11.78	8.31	12.51	10.33	11.84	8.31	12.52	10.31
N4	9.95	7.91	12.10	8.38	10.18	7.95	12.16	8.48	10.17	7.92	12.18	8.49
N5	4.91	3.22			4.97	3.22			4.96	3.22		

Table S 4. Experimental and calculated ^{13}C NMR (126 MHz, DMSO-d_6) data of **O1-O6**

	O1		**O2**		**O3**		**O4**		**O5**		**O6**	
δ	**Exp.**	**Calc.**	**Exp.**	**Calc.**	**Exp.**	**Calc.**	**Exp.**	**Calc.**	**Exp.**	**Calc.**	**Exp.**	**Calc.**
2	150.08	150.03	150.16	150.39	154.34	153.38	151.67	152.88	152.25	151.13	151.92	150.23
3	121.67	120.21	121.77	119.98	118.03	115.51	117.78	115.81	118.35	116.76	118.12	117.00
4	136.55	137.01	136.62	137.81	136.19	137.31	136.47	137.41	136.06	137.37	136.40	137.49
4a	127.94	125.93	128.02	125..36	127.66	125.50	127.99	125.83	128.52	126.32	128.75	126.60
5	128.90	129.02	129.28	129.69	127.72	127.43	128.84	127.36	117.74	114.86	117.90	114.86
6	126.45	125.33	126.49	125.26	126.84	126.29	127.79	126.64	127.73	128.56	128.13	128.95
7	125.61	124.17	125.72	124.65	129.82	129.13	127.11	129.20	111.59	106.68	112.13	106.80
8	131.59	130.68	131.65	130.19	128.69	129.02	130	129.20	153.24	152.48	153.37	152.56
8a	145.01	143.34	145.19	143.61	147.26	145.87	147.35	145.84	137.93	134.42	138.13	134.34
9	136.89	135.46	139.89	136.96	140.64	139.93	144.06	142.52	140.50	138.54	144.02	141.31
10	157.21	153.32	152.28	146.03	156.76	152.74	153.99	145.51	156.83	152.52	162.45	145.41
11			139.89	136.96			144.06	142.52			144.02	141.31
12			131.65	130.19			151.67	152.88			151.92	150.23
12a			145.19	143.61								
13			125.72	124.65			117.78	115.81			118.12	117.00
14			126.49	125.26			136.47	137.41			136.40	137.49
14a							127.99	125.83			128.75	126.60

15			128.28	129.69			128.84	127.36			117.90	114.86
15a			128.02	127.66								
16			136.62	137.81			127.79	126.64			128.13	128.95
17			121.77	119.98			127.11	129.20			112.13	106.80
18			150.16	150.39			130	129.20			153.37	152.56
18a							147.35	145.84			138.13	134.34

Table S 5. Experimental and calculated ^{13}C NMR (126 MHz, DMSO-d_6) data of **S1-S6**

	S1		**S2**		**S3**		**S4**		**S5**		**S6**	
δ	**Exp.**	**Calc.**	**Exp.**	**Calc.**	**Exp.**	**Calc.**	**Exp.**	**Calc.**	**Exp.**	**Calc.**	**Exp.**	**Calc.**
2	150.29	150.67	150.34	150.999	153.68	151.86	153.96	152.12	151.95	149.01	151.60	149.48
3	121.75	120.65	121.85	120.87	118	115.55	118.72	116.21	118.65	116.73	118.62	117.40
4	136.59	137.69	136.65	137.64	135.89	137.77	136.98	137.61	136.03	137.77	136.48	137.67
4a	127.94	125.87	128.01	125.91	127.46	126.00	128.23	126.03	128.71	126.91	128.90	126.92
5	129.59	131.14	129.99	131.07	127.57	127.45	128.37	127.33	117.71	114.87	117.87	114.75
6	126.40	125.19	126.48	125.21	126.75	127.23	127.75	127.27	127.97	129.71	128.38	129.63
7	126.33	125.44	126.67	125.96	129.57	129.45	130.47	129.73	112	107.03	112.24	107.33
8	131.21	128.45	131.46	129.06	128.40	129.37	129.21	129.42	153.36	152.71	153.44	152.73
8a	145.30	143.83	140.36	144	146.97	145.88	147.70	145.96	138.10	149.01	138.20	134.62
9	138.97	139.68	145.40	144.54	141.98	143.57	149.59	149.27	142.16	142.25	149.17	148.00
10	175.96	182.06	175.21	176.64	175.37	182.93	175.97	177.68	175.72	182.83	175.61	177.76
11			140.48	140.21			144.46	144.71			143.85	143.58
12			130.97	127.99			152.03	151.21			151.60	148.40

12a			140.30	144.16								
13			125.98	125.97			118.41	115.83			118.62	117.00
14			126.48	125.18			136.98	138.02			136.48	138.05
14a							128.23	125.99			128.90	126.99
15			129.99	131.91			128.37	127.59			117.87	115.10
15a			128.01	125.58								
16			136.65	138			127.75	126.97			128.38	129.43
17			121.85	120.27			130.47	129.70			112.24	107.24
18			150.34	150.94			129.21	129.45			153.44	152.68
18a							147.70	145.93			138.20	134.75

Table S 6. Lipinski's pharmacokinetic properties of investigated compounds

	O1	**S1**	**O2**	**S2**	**O3**	**S3**	**O4**	**S4**	**O5**	**S5**	**O6**	**S6**
MW	229.24	245.30	368.39	384.46	229.24	245.30	368.39	384.46	245.24	261.30	400.39	416.46
log*P*	1.234	1.621	4.115	4.223	1.262	1.720	3.886	4.402	0.825	1.227	3.210	3.526
HBD	4	4	2	2	4	4	2	2	5	5	4	4
HBA	3	2	5	4	3	2	5	4	3	2	5	4

MW – molecular weight

log*P* – predicted octanol/water partition coefficient

HBD – number of hydrogen bond donor atoms per molecule

HBA– number of hydrogen bond acceptor atoms per molecule



Figure S 6. Experimental FT-IR spectra of compound **O1-O6.**



Figure S 7. Experimental FT-IR spectra of compound **S1-S6**.



Figure S 8. ^{1}H NMR spectrum of **O1** in DMSO-d_6.



Figure S 9. ^{13}C NMR spectrum of **O1** in DMSO-d_6.



Figure S 10. COSY spectrum of **O1**.



Figure S 11. NOESY spectrum of **O1**.



Figure S 12. $^{1}H–^{13}C$ HSQC spectrum of **O1**.



Figure S 13. $^{1}H–^{13}C$ HMBC spectrum of O1.



Figure S 14. [1]H NMR spectrum of **O2** in DMSO-d_6.



Figure S 15. [13]C NMR spectrum of **O2** in DMSO-d_6.



Figure S 16. COSY spectrum of **O2**.



Figure S 17. NOESY spectrum of **O2**.



Figure S 18. $^{1}H–^{13}C$ HSQC spectrum of **O2**.



Figure S 19. $^{1}H–^{13}C$ HMBC spectrum of **O2**.



Figure S 20. ^{1}H NMR spectrum of **O3** in DMSO-d_6.



Figure S 21. ^{13}C NMR spectrum of **O3** in DMSO-d_6.



Figure S 22. COSY spectrum of **O3**.



Figure S 23. NOESY spectrum of **O3**.



Figure S 24. $^{1}H–^{13}C$ HSQC spectrum of **O3**.



Figure S 25. $^{1}H–^{13}C$ HMBC spectrum of **O3**.



Figure S 26. ^{1}H NMR spectrum of **O4** in DMSO-d_6.



Figure S 27. ^{13}C NMR spectrum of **O4** in DMSO-d_6.



Figure S 28. COSY spectrum of **O4**.



Figure S 29. NOESY spectrum of **O4**.



Figure S 30. $^{1}H–^{13}C$ HSQC spectrum of **O4**.



Figure S 31. $^{1}H–^{13}C$ HMBC spectrum of **O4**.



Figure S 32. [1]H NMR spectrum of **O5** in DMSO-d_6.



Figure S 33. [13]C NMR spectrum of **O5** in DMSO-d_6.



Figure S 34. COSY spectrum of **O5**.



Figure S 35. NOESY spectrum of **O5**.



Figure S 36. $^{1}H–^{13}C$ HSQC spectrum of **O5**.



Figure S 37. $^{1}H–^{13}C$ HMBC spectrum of **O5**.



Figure S 38. ^{1}H NMR spectrum of **O6** in DMSO-d_6.



Figure S 39. ^{13}C NMR spectrum of **O6** in DMSO-d_6.



Figure S 40. COSY spectrum of **O6**.



Figure S 41. NOESY spectrum of **O6**.



Figure S 42. $^{1}H–^{13}C$ HSQC spectrum of **O6**.



Figure S 43. $^{1}H–^{13}C$ HMBC spectrum of **O6**.



Figure S 44. ^{1}H NMR spectrum of **S1** in DMSO-d_6.



Figure S 45. ^{13}C NMR spectrum of **S1** in DMSO-d_6.



Figure S 46. COSY spectrum of **S1**.



Figure S 47. NOESY spectrum of **S1**.



Figure S 48. $^{1}H–^{13}C$ HSQC spectrum of **S1**.



Figure S 49. $^{1}H–^{13}C$ HMBC spectrum of **S1**.



Figure S 50. ^{1}H NMR spectrum of **S2** in DMSO-d_6.



Figure S 51. ^{13}C NMR spectrum of **S2** in DMSO-d_6.



Figure S 52. COSY spectrum of **S2**.



Figure S 53. NOESY spectrum of **S2**.



Figure S 54. $^{1}H–^{13}C$ HSQC spectrum of **S2**.



Figure S 55. $^{1}H–^{13}C$ HMBC spectrum of **S2**.



Figure S 56. ^{1}H NMR spectrum of **S3** in DMSO-d_6.



Figure S 57. ^{13}C NMR spectrum of **S3** in DMSO-d_6.



Figure S 58. COSY spectrum of **S3**.



Figure S 59. NOESY spectrum of **S3**.



Figure S 60. $^{1}H–^{13}C$ HSQC spectrum of **S3**.



Figure S 61. $^{1}H–^{13}C$ HMBC spectrum of **S3**.



Figure S 62. ^{1}H NMR spectrum of **S4** in DMSO-d_6.



Figure S 63. ^{13}C NMR spectrum of **S4** in DMSO-d_6.



Figure S 64. COSY spectrum of **S4**.



Figure S 65. NOESY spectrum of **S4**.



Figure S 66. $^{1}H–^{13}C$ HSQC spectrum of **S4**.



Figure S 67. $^{1}H–^{13}C$ HMBC spectrum of **S4**.



Figure S 68. ^{1}H NMR spectrum of **S5** in DMSO-d_6.



Figure S 69. ^{13}C NMR spectrum of **S5** in DMSO-d_6.



Figure S 70. COSY spectrum of **S5**.



Figure S 71. NOESY spectrum of **S5**.



Figure S 72. $^{1}H–^{13}C$ HSQC spectrum of **S5**.



Figure S 73. $^{1}H–^{13}C$ HMBC spectrum of **S5**.



Figure S 74. ^{1}H NMR spectrum of **S6** in DMSO-d_6.



Figure S 75. ^{13}C NMR spectrum of **S6** in DMSO-d_6.



Figure S 76. COSY spectrum of **S6**.



Figure S 77. NOESY spectrum of **S6**.



Figure S 78. $^{1}H–^{13}C$ HSQC spectrum of **S6**.



Figure S 79. $^{1}H–^{13}C$ HMBC spectrum of **S6**.