

Supporting Information for:

**Incorporation of well-dispersed calcium phosphate nanoparticles into PLGA
electrospun nanofibers to enhance the osteogenic induction potential**

Dandan Wang^{a,b}, Liuyang Xuan^{a,b}, Huixiang Zhong^{a,b}, Yihong Gong^{a,b}, Xuetao Shi^c,
Feng Ye^d, Yan Li^{a,b*} and Qing Jiang^{a,b}

^aDepartment of Biomedical Engineering, Guangdong Provincial Key Laboratory of Sensor Technology and Biomedical Instrument, School of Engineering, Sun Yat-sen University, Guangzhou, Guangdong, P.R. China

^bGuangdong Provincial Engineering and Technology Center of Advanced and Portable Medical Devices, Sun Yat-sen University, Guangzhou, Guangdong, P.R. China

^cSchool of Materials Science and Engineering, South China University of Technology, Guangzhou, P.R. China

^dKey Laboratory of Molecular Biology for Infectious Diseases, Ministry of Education of China, The Second Affiliated Hospital, Chongqing Medical University, Chongqing, P.R. China

*Corresponding author: Yan Li, Telephone: +86-20-39387890; Fax: +86-20-39387890; Email: liyan99@mail.s ysu.edu.cn




Fig. S1 SEM image and fiber diameter distribution of P-8 which was fabricated at weight ratio of (PAA-CaP/Zn)/PLGA as 8% and following the same parameters as that for other PLGA electrospun membranes.