

Supporting Information

ZnO films using the irradiated precursor solution with electron beam as a cathode interfacial layer in inverted polymer solar cells

*Rira Kang^a, Yong-Jin Noh^b, Jin-Mun Yun^a, Hyun bin Kim^a, NoSung Myoung^d, Eun-Hye Lee^c,
Tae-Wook Kim^c, Seok-In Na^{b,*}, Seung-Hwan Oh^{a,*}*

AUTHOR ADDRESS

^a Radiation Research Division for Industry and Environment, Korea Atomic Energy Research Institute (KAERI), 29 Geungu-gil, Jeongseup-si, Jeollabuk-do 580-185, Republic of Korea

^b Professional Graduate School of Flexible and Printable Electronics and Polymer Materials Fusion Research Center, Chonbuk National University, 664-14, Deokjin-dong, Jeonju-si, Jeollabuk-do 561-756, Republic of Korea

^c Soft Innovative Materials Research Center, Institute of Advanced Composite Materials, Korea Institute of Science and Technology, Jeollabuk-do 565-905, Republic of Korea

^d Advanced Photonics Research Institute (APRI), Gwangju Institute of Science and Technology (GIST), Gwangju 61005, Republic of Korea

Supporting Information




Figure S1. TEM images of **Ref**, **EB-Z100**, **EB-Z300** and **EB-Z500**.