Electronic Supplementary Material (ESI) for Journal of Materials Chemistry B. This journal is © The Royal Society of Chemistry 2018

Electronic Supplementary Material (ESI) for Journal of Materials Chemistry B. This journal is © The Royal Society of Chemistry 2018

Electronic Supplementary Information (ESI)

Surface zwitterionization on versatile hydrophobic interfaces via a combined

copolymerization/self-assembling process

Ying-Nien Chou^a, Antoine Venault^a*, Yu-Hsiang Wang^a, Arunachalam Chinnathambi^c, Akon Higuchi^c and Yung Chang^{a,b}*

a. R&D Center for Membrane Technology and Department of Chemical Engineering, Chung

Yuan Christian University, Chung-Li, Taoyuan 320, Taiwan. *E-mails:

avenault@cycu.edu.tw(A.V.), ychang@cycu.edu.tw (Y.C.)

b. Department of Botany and Microbiology, College of Science, King Saud University, P.O.

Box 2455, Riyadh 11451, Saudi Arabia.

c. Department of Chemical and Materials Engineering, National Central University, Jhong-Li,

Taoyuan 320, Taiwan



Figure S1. Confocal images evidencing the adhesion of (a) platelets and (b) red blood cells on virgin and *insitu* self-assembled surfaces (M:I = 100:1, solid content: 5 wt%, reaction time: 4h)



Figure S2. Confocal images evidencing the adhesion of (a) leukocytes and (b) cells from whole blood on virgin and *in-situ* self-assembled surfaces (M:I = 100:1, solid content: 5 wt%, reaction time: 4h).



Figure S3. The adhesion of (a) HT1080 fibroblasts and (b) GFP E. coli on virgin and *in-situ* self-assembled surfaces (M:I = 100:1, solid content: 5 wt%, reaction time: 4h).

Electronic Supplementary Material (ESI) for Journal of Materials Chemistry B. This journal is © The Royal Society of Chemistry 2018



Figure S4. The adhesion of (a) HT1080 fibroblasts and (b) GFP E. coli on virgin and *in-situ* self-assembled surfaces (M:I = 100:1, solid content: 5 wt%, reaction time: 4h).