

Electronic Supplementary Information for

**Direct fabrication of bimetallic AuPt nanobrick spherical
nanoarchitectonics for oxygen reduction reaction**

Alam Venugopal Narendra Kumar,[‡] Shuli Yin,[‡] Ziqiang Wang,* Xiaoqian Qian, Dandan Yang,

You Xu, Xiaonian Li, Hongjing Wang* and Liang Wang*

State Key Laboratory Breeding Base of Green-Chemical Synthesis Technology, College of
Chemical Engineering, Zhejiang University of Technology, Hangzhou 310014, China

*Corresponding authors' E-mails: zqwang@zjut.edu.cn; hjw@zjut.edu.cn; wangliang@zjut.edu.cn

[‡]A. V. N. Kumar and S. Yin equally contributed to this work.




Fig. S1 (a) Low-magnification SEM image of the AuPt NSNs and (b) corresponding histogram of the particle size distribution.




Fig. S2 Digital photographs of reaction vials for the AuPt NSNs at different time intervals at 90 °C and room temperature.




Fig. S3 SEM images of the AuPt samples prepared at different reaction times: (a) 15 min, (b) 30 min, (c) 2 h, (d) 4 h, (e) 6 h, and (f) 8 h.




Fig. S4 SEM images of the samples prepared without (a) Pt precursor and (b) KI under the identical synthesis conditions.




Fig. S5 Digital photographs of the solutions prepared with the presence of KI (a) and the absence of KI (b).




Fig. S6 SEM images of samples prepared with (a) KBr and (b) KCl under the identical synthesis conditions.




Fig. S7 SEM images of the samples prepared with (a) Brij 58 and (b) PVP under identical synthesis conditions.




Fig. S8 (a) ORR polarization curves of Pt black at different rotating speeds. (b) The electron transfer numbers of Pt black at different potentials.