

Enhancing the Electrochromic Stability of Prussian Blue Based on TiO₂ Nanorod Arrays

Hongbo Xu^{a#}, Liuting Gong^{a#}, Shengyu Zhou^a, Kangli Cao^c, Shen Wang^a, Jiupeng Zhao^{a} and Yao, Li^b*

a MIIT Key Laboratory of Critical Materials Technology for New Energy Conversion and Storage, School of Chemistry and Chemical Engineering, Harbin Institute of Technology, 150001, Harbin, China.

b National Key Laboratory of Science and Technology on Advanced Composites in Special Environments, Harbin Institute of Technology, 150001, Harbin, China.

c Shanghai Institute of Spacecraft Equipment, Shanghai, 200240.

Hongbo Xu, Liuting Gong contributed equally to this work.




Figure S1. SEM images of the TNRA on FTO.




Figure S2. SEM images of the PB/TNRA/FTO. This red area shows a crack of the PB/TNRA/FTO.




Figure S3. Nitrogen adsorption/desorption isotherms of the PB (a) and PB/TNRA (b).




Figure S4. Reflectance spectra of the PB and PB/TNRA film in the range from 600 to 900 nm.




Figure S5. Nyquist plots of (a) PB and (b) PB/TNRA film.




Figure S6. SEM images of (a) PB/FTO and (b) PB/TNRA/FTO/ after 1000 cycle.