

Facile assembly of novel g-C₃N₄@expanded graphite and surface loading of nano zerovalent iron for enhanced synergistic degradation of tetracycline

Xiangyu Wang^{a, *}, Yu Xie^a, Jun Ma^b, Ping Ning^{a, *}

^a Faculty of Environmental Science and Engineering, Kunming University of Science and Technology, Kunming, 650500, China

^b State Key Laboratory of Urban Water Resources and Environment, Harbin Institute of Technology, Harbin, 150090, China

Corresponding authors' E-mail addresses: ningping58_2015@sina.com (P. Ning), imusthlee2014@sina.com (X. Y. Wang).

Table of Contents

1. The magnetic hysteretic curve of Fe/CN@E-3. **(Fig. S1)**
2. ESR spectra radicals trapped by DMPO recorded at room temperature under dark and visible light irradiation: (a) DMPO-·O₂⁻ response; (b) DMPO-·OH response. **(Fig. S2)**




Fig. S1 The magnetic hysteresis curve of Fe/CN@E-3.




Fig. S2 ESR spectra radicals trapped by DMPO recorded at room temperature under dark and visible light irradiation: (a) DMPO- $\cdot\text{O}_2^-$ response; (b) DMPO- $\cdot\text{OH}$ response.