Electronic Supplementary Material (ESI) for RSC Advances. This journal is © The Royal Society of Chemistry 2019

Supporting Information

Synthesis of novel polycarbonyl Schiff bases by ring-opening reaction of ethyl 5-acyl-4pyrone-2-carboxylates with primary mono- and diamines

D. L. Obydennov,* L. R. Khammatova, V. D. Steben'kov and V. Y. Sosnovskikh

Institute of Natural Sciences and Mathematics, Ural Federal University, 51 Lenina Ave., 620000 Ekaterinburg, Russian Federation. E-mail: <u>dobydennov@mail.ru</u>

Table of Contents

1.	NMR spectra of compounds 3	S2
2.	NMR spectra of compounds 4	S22
3.	¹ H NMR spectrum of compound 5	S32
4.	ESI-MS data of compound 5	S33
5.	IR spectrum of compound 5	S34
6.	NMR spectrum of compound 6	S35
7.	NMR spectra of compounds 7	S36
8.	NMR spectra of compounds 8	S43
9.	NMR spectra of compounds 9	S50
10.	NMR spectrum of compound 10	S52
11.	NMR spectra of compound 11	S53
12.	NMR spectra of compound 12	S55
13.	2D ¹ H- ¹³ C HMBC spectrum of compound 3b	S57





































S19



























Elemental Composition Report

Single Mass Analysis

Tolerance = 5.0 PPM / DBE: min = -0.5, max = 50.0 Element prediction: Off Number of isotope peaks used for i-FIT = 4

Monoisotopic Mass, Even Electron Ions 162 formula(e) evaluated with 2 results within limits (up to 50 closest results for each mass) Elements Used: C: 1-500 H: 1-1000 N: 2-2 O: 1-200 CI: 2-2 Cu: 2-2 OD 18.11.2019



Page 1

18-Nov-2019 13:09:37

SHIMADZU

















































