

Effect of partial preferential orientation and distortions in octahedral clusters on the photoluminescence properties of FeWO₄ nanocrystals

M.A.P. Almeida^a, L.S. Cavalcante^{b*}, C. Morila-Santos^c, C.J. Dalmaschio^a, S. Rajagopal^e, M. Siu Li^d and E. Longo^{a,b}

^aLIEC, Department of Chemistry, Federal University of São Carlos, C. Postal 676, Rod. Washington Luis, Km 235, 13565-905, São Carlos, SP, Brazil. E-mail: laeciosc@bol.com.br

^bINCTMN, Institute of Chemistry, Unesp, 14800-900, Araraquara, SP, Brazil.

^cMAv –DF-Universidade Estadual, Paulista, C. Postal 473, 17033-360, Bauru, SP, Brazil.

^dIFSC-Universidade de São Paulo, 13560-970, São Carlos-SP, Brazil

^eDepartment of Chemistry Engineering and Division of Energy System Research, Ajou University, San, Woncheon Dong, Yeontong-Gu, Suwon 443-749, Republic of Korea.

Electronic Supplementary Information




Fig. SI - HR-TEM image and FFT patterns of FeWO₄ nanocrystals obtained at 170°C for 45 min with PEG-200 non-ionic surfactant.