

Solid state effects on the electronic structure of H₂OEP - Electronic Supplementary Information

M. Marsili,^{*a,b} P. Umari,^{a,c} G. Di Santo,^d M. Caputo,^d M. Panighel,^{d,e} A. Goldoni,^d M. Kumar,^f and M. Pedio^f




Figure 1 DFT band structure along high symmetry directions. Energies are referred to the experimental Fermi level, aligned as explained in the text.

^a Dipartimento di Fisica e Astronomia, Università di Padova, via Marzolo 8, Padova 35131, Italy. Fax: +39 049 8277102; Tel: +39 049 8277174; E-mail: margherita.marsili@nano.cnr.it

^b S3, Istituto Nanoscienze-CNR, Via Campi 213/A, 41125 Modena, Italy

^c IOM-CNR, Theory@Elettra group, Trieste, Italy

^d Elettra - Sincrotrone Trieste, s.s. 14 km 163.5 in Area Science Park, Basovizza (Trieste) 34149, Italy

^e Department of Physics, University of Trieste, via Valerio 2, Trieste 34100, Italy

^f IOM-CNR, TASC Area Science Park Bul. MM, S.S. 14, Km 163.5, Basovizza (Trieste) 34149, Italy




Figure 2 GW band structure along high symmetry directions. Energies are referred to the experimental Fermi level, aligned as explained in the text.