

Supporting information

Interface synthesis for controllable construction of 2D Zn(Bim)(OAc)
nanosheets via oil/water system and their application in oil

Fei-Fei Wang, Haiyang Ding, Guang Tan, Zan Liu, Zhi-Lin Cheng*

School of Chemistry and Chemical Engineering, Yangzhou University, Yangzhou 22
5002, China.

Corresponding author: Prof. Zhi-Lin Cheng, Email:zcheng224@126.com




Fig. S1. The video of the formation of Zn(Bim)(OAc) nanosheets at O/W interface system.




Fig. S2. AFM images of the as-synthesized Zn(Bim)(OAc) nanosheets.




Fig. S3. EDS spectra of the as-synthesized Zn(Bim)(OAc) nanosheets.




Fig. S4. The contact angles of (A) base oil, (B) castor oil, (C) base oil-Zn(Bim)(OAc) nanosheets and (D) castor oil-Zn(Bim)(OAc) nanosheets on the 304 stainless steel.




Fig. S5. 3D worn surface topography (inset) and 2D cross section profiles perpendicular to sliding direction of (A) base oil, (B) base oil-Zn(Bim)(OAc) nanosheets, (C) castor oil, (D) castor oil-Zn(Bim)(OAc) nanosheets, (E) grease, (F) grease-Zn(Bim)(OAc) nanosheets.