

Unusual Temperature Dependence of the Fluorescence Decay in Heterostructured Stilbene

R. Karpicz^a, N. Ostapenko^b, Yu. Ostapenko^b, Ya Polupan^c, I. Lazarev^c, N. Galunov^{c,d}, M. Macernis^e, D. Abramavicius^e, L. Valkunas^{*a,e}

- a) Molecular Compounds Physics Department, Center for Physical Sciences and Technology, Sauletekio Ave. 3, LT-10257, Vilnius, Lithuania
- b) Institute of Physics, National Academy of Sciences of Ukraine, Nauki Ave. 46, 03028, Kiev, Ukraine
- c) Institute for Scintillation Materials of the NASU, Nauki Ave. 60, Kharkiv, 61022, Ukraine
- d) V. N. Karasin Kharkiv National University, Svobody Sq. 4, Kharkiv, 61022, Ukraine
- e) Institute of Chemical Physics, Faculty of Physics, Vilnius University, Saulėtekio Ave. 3, LT10222, Vilnius, Lithuania

SUPPLEMENT




Figure S1. Normalized fluorescence ($\lambda_{\text{ex}}=300$ nm) spectra of stilbene in PS matrix (blue line), of sublimated stilbene (black line) and of hot-pressed stilbene (red line) at 300K.




Figure S2. Normalized fluorescence ($\lambda_{\text{ex}}=300$ nm) spectra of hot-pressed stilbene before temperature treatment (black line) and after low temperature treatment (green line) at 300K.