1

Electronic Supplementary Information for the Manuscript:

Assessment of aggregation and adsorption behavior of newly synthesized tetradecylpyridinium–based metallosurfactants and their interaction with bovine serum albumin⁺


Tariq Ahmad Wagay,* K. Ismail^a and Hassan Askari

Department of Chemistry, North-Eastern Hill University, Shillong - 793022, India

Address for Manuscript Correspondence: Dr. Tariq Ahmad Wagay, Department of Chemistry, North-Eastern Hill University, NEHU Campus, Shillong-793022, India. E-mail: twagay@gmail.com; twagay@gmail.com; twagay@gmail.com; twagay@gmail.com; twagay@gmail.com; twagay@nehu.ac.in, Telephone: 91-364 – 2722611

^a Present address: Retired Professor, H. No. 4, Rangpur Path, F. A. Ahmed Nagar, Guwahati – 781022, India, E-mail: kinehu@hotmail.com

†Electronic supplementary information available: Protocol for the synthesis of $TP_2[MCl_4]$ metallosurfactants (Scheme S1), photographs of the anhydrous metal(II) chlorides, TPC and synthesized $TP_2[MCl_4]$ metallosurfactants (Fig. S1), ¹H NMR spectra (Fig. S2), ¹³C NMR spectra (Fig. S3) and FTIR spectra of TPC and $TP_2[MCl_4]$ metallosurfactants (Fig. S4).



Scheme S1. Protocol for the synthesis of TP₂[MCl₄] metallosurfactants.






Fig. S1. Photographs of the anhydrous metal(II) chlorides, TPC and synthesized $TP_2[MCl_4]$ metallosurfactants.











Fig. S2. ¹H NMR spectra of TPC and TP₂[MCl₄] metallosurfactants.










Fig. S3. ¹³C NMR spectra of TPC and TP₂[MCl₄] metallosurfactants.




Fig. S4. FTIR spectra of TPC and TP₂[MCl₄] metallosurfactants.