

Improved antiproliferative activity of novel pulsatilla saponin D/ α -hederin derivatives containing nitric oxide donors

Zunhua Yang^a, Huilan Li^b, Zhifeng Li^b, Yulin Feng^b, Yi Jin^b, Yanhua Liu^a,
Mingdong Li^a, Ronghua Liu^a, Yuanying Fang^{b,*}

^a College of Pharmacy, Jiangxi University of Traditional Chinese Medicine, Nanchang 330004, China

^b National Engineering Research Center for Manufacturing Technology of TCM Solid Preparation, Jiangxi University of Traditional Chinese Medicine, Nanchang 330006, China


Supporting information

¹H-NMR, ¹³C-NMR of final compounds


* Corresponding author.

E-mail address: fangyuanying@163.com (Y. Fang).


¹H-NMR of compound 4a




¹H-NMR of compound 5a




^{13}C -NMR of compound **5a**




^1H -NMR of compound **4b**




¹³C-NMR of compound **4b**




¹H-NMR of compound **5b**




^{13}C -NMR of compound **5b**




^1H -NMR of compound **4c**




^{13}C -NMR of compound 4c




^1H -NMR of compound 5c




^{13}C -NMR of compound **5c**




^1H -NMR of compound **4d**




¹H-NMR of compound 5d




¹³C-NMR of compound 5d




¹H-NMR of compound 4e




¹³C-NMR of compound 4e




¹H-NMR of compound 5e




¹³C-NMR of compound 5e




$^1\text{H-NMR}$ of compound **4f**



$^{13}\text{C-NMR}$ of compound **4f**



¹H-NMR of compound **5f**



¹³C-NMR of compound **5f**

