

Electronic Supplementary Information for

**Ultrasound irradiation mediated preparation of antimony sulfoiodide (SbSI) nanorods
as a high-capacity electrode for electrochemical supercapacitors**

Sindhuja Manoharan¹, Dhanasekar Kesavan¹, Parthiban Pazhamalai¹,
Karthikeyan Krishnamoorthy¹, and Sang-Jae Kim^{1,2 *}

¹Nanomaterials & System Lab, Major of Mechatronics Engineering,
Faculty of Applied Energy System, Jeju National University, Jeju 63243, Republic of Korea.

²Department of Advanced Convergence Science and Technology,
Jeju National University, Jeju 63243, Republic of Korea.

*Corresponding Email id.: kimsangj@jejunu.ac.kr

Table S1. Comparison of the specific capacity of SbSI with the reported supercapacitor electrodes.

S. No.	Supercapacitor electrode material	Specific capacity (mAh g ⁻¹)	Reference
1	CMS	32.83	1
2	Cu-HCF	37.06	2
3	MnHCF	81.59	3
4	Ni-HCF	98.88	4
5	NiS-PbS	125.89	5
6	Co-Ni-S	149.44	6
7	Mn ₃ O ₄	366.7	7
8	SbSI	437.40	This work

References

- 1 S. Sahoo, K. Krishnamoorthy, P. Pazhamalai and S. J. Kim, Copper molybdenum sulfide anchored nickel foam: a high performance, binder-free, negative electrode for supercapacitors, *Nanoscale*, 2018, **10**, 13883–13888.
- 2 P. Pazhamalai, K. Krishnamoorthy, S. Sahoo and S. J. Kim, High-energy aqueous Li-ion hybrid capacitor based on metal-organic-framework-mimicking insertion-type copper hexacyanoferrate and capacitive-type graphitic carbon electrodes, *J. Alloys Compd.*, 2018, **765**, 1041–1048.
- 3 P. Pazhamalai, K. Krishnamoorthy, V. K. Mariappan and S. J. Kim, Fabrication of high energy Li-ion hybrid capacitor using manganese hexacyanoferrate nanocubes and graphene electrodes, *J. Ind. Eng. Chem.*, 2018, **64**, 134–142.
- 4 K. Krishnamoorthy, P. Pazhamalai, S. Sahoo, J. H. Lim, K. H. Choi and S. J. Kim, A High-Energy Aqueous Sodium-Ion Capacitor with Nickel Hexacyanoferrate and Graphene Electrodes, *ChemElectroChem*, 2017, **4**, 3302–3308.
- 5 C. H. Mun, C. V. V. Muralee Gopi, R. Vinodh, S. Sambasivam, I. M. Obaidat and H. J. Kim, Microflower-like nickel sulfide-lead sulfide hierarchical composites as binder-free electrodes for high-performance supercapacitors, *J. Energy Storage*, 2019, **26**, 100925.
- 6 C. V. V. M. Gopi, R. Vinodh, S. Sambasivam, I. M. Obaidat, S. Singh and H. J. Kim, $\text{Co}_9\text{S}_8\text{-Ni}_3\text{S}_2/\text{CuMn}_2\text{O}_4\text{-NiMn}_2\text{O}_4$ and $\text{MnFe}_2\text{O}_4\text{-ZnFe}_2\text{O}_4$ /graphene as binder-free cathode and anode materials for high energy density supercapacitors, *Chem. Eng. J.*, 2020, **381**, 122640.
- 7 J. X. Feng, S. H. Ye, X. F. Lu, Y. X. Tong and G. R. Li, Asymmetric paper supercapacitor based on amorphous porous Mn_3O_4 negative electrode and Ni(OH)_2

positive electrode: A novel and high-performance flexible electrochemical energy storage device, *ACS Appl. Mater. Interfaces*, 2015, **7**, 11444–11451.