

## Supplementary Information

### Catalyst free synthesis of poly(furfuryl alcohol) using deep eutectic solvent

Thanh Phuong Cao,<sup>a</sup> Chuc Nguyen Hang,<sup>a</sup> Hieu Vu-Quang,<sup>b</sup> Daniel Manaye Kaptamu,<sup>c</sup> Subodh Kumar,<sup>\*d</sup> Van Cuong Nguyen,<sup>a</sup> Xuan Thang Cao<sup>\*a</sup>

<sup>a</sup> Faculty of Chemical Engineering, Industrial University of Ho Chi Minh City, Vietnam

<sup>b</sup> NTT Institute of Hi-Technology, Nguyen Tat Thanh University, Ho Chi Minh City, Vietnam

<sup>c</sup> Department of Materials Science and Engineering, National Taiwan University of Science and Technology, Taipei 10607, Taiwan

<sup>d</sup> Department of Inorganic Chemistry, Faculty of Science, Palacký University, Olomouc 779 00, Czech Republic

\*Correspondence: caoxuanhang@iuh.edu.vn; subodh.kumar@upol.cz







Figure S1. <sup>1</sup>H-NMR spectrum of DES1 [ChCl: ZnCl<sub>2</sub> (1: 2)]




**Figure S2.** XRD pattern of DES1 [ChCl: ZnCl<sub>2</sub> (1: 2)]



**Figure S3.** FTIR spectrum of DES1 [ChCl: ZnCl<sub>2</sub> (1: 2)]



**Figure S4.** TGA curve of DES1 [ChCl: ZnCl<sub>2</sub> (1: 2)]



**Figure S5.** Raman spectra (UV laser excitation at 535 nm) of FA and PFA polymerized by different weight ratios of DES1/FA at 60 °C for 4 h.

**Table S1.** Literature FA polymerization using different catalysts

Entry	Catalyst	Weight ratio %	Solvent	Ref.
1.	maleic anhydride	10	Ethanol	[1]
2.	oxalic acid	~0.5	-	[2]
3.	iodine	~0.5	-	[2]
4.	<i>p</i> -toluenesulfonic acid	-	-	[3]
5.	<i>p</i> -toluenesulfonic acid	~3.0	CH <sub>2</sub> Cl <sub>2</sub>	[4]
6.	magnnite-H <sup>+</sup>	15	CH <sub>2</sub> Cl <sub>2</sub>	[5]
7.	sulfuric acid	-	-	[6],[7]
8.	HCl	-	-	[8],[9]
9.	Lewis-acid (SnCl <sub>4</sub> , TiCl <sub>4</sub> )	-	CH <sub>2</sub> Cl <sub>2</sub>	[10]
10.	titanium(IV) butoxide	6-80	-	[11]
11.	ChCl:ZnCl <sub>2</sub> deep eutectic solvent	10	-	This work

## References

- [1] N. Herold, T. Dietrich, W. J. Grigsby, R. A. Franich, A. Winkler, B. Buchelt, and A. Pfriem, BioResources, 2013, 8, 1064-1075.
- [2] C. Song, T. Wang, H. Jiang, X. Wang, Y. Cao, and J. Qiu, J. Membrane Sci., 2010, 361, 22–27.
- [3] O. Lépine, M. Birot, H. Deleuze, Macromol. Mater. Eng., 2009, 294, 599–604.
- [4] M. Principe, P. Ortiz, and R. Martínez, Polym. Int., 1999, 48, 637–641.
- [5] D.E. Kherroub, M. Belbachir, and S. Lamouri, Arab. J. Sci. Eng., 2014, 40, 143–150.
- [6] S. S. Oishi, M. C. Rezende, F. D. Origo, A. J. Damião, and E. C. Botelho, J. Appl. Polym. Sci., 2012, 128, 1680-1686.
- [7] T. Kim, R.S. Assary, C.L. Marshall, D.J. Gosztola, L.A. Curtiss and P.C. Stair, ChemCatChem, 2011, 3, 1451-1458.
- [8] Y. Feng, Y. Wang, Y. Wang, and J. Yao, J. Mater. Chem. A, 2017, 5, 21893–21897.
- [9] S. Bertarione, F. Bonino, F. Cesano, S. Jain, M. Zanetti, D. Scarano, and A. Zecchina, J. Phys. Chem. B 2009, 113, 31, 10571–10574.
- [10] M. Choura, N. M. Belgacem, and A. Gandini, Macromolecules, 1996, 29, 3839–3850.
- [11] J. Yao and H. Wang, Ind. Eng. Chem. Res. 2007, 46, 19, 6264–6268.