

Supporting Information

A colorless, transparent and mechanically robust polyurethane elastomer: synthesis, chemical resistance and the adhesive properties

Huijuan Zhang^{1,*}, Li An¹, Xue Wang¹, Chao Niu¹, Xinjuan Hou^{2,3*}

1 College of Chemistry and Materials Engineering, Beijing Technology and Business University, Beijing 100048, People's Republic of China. E-mail: zhanghuijuan@btbu.edu.cn.

2 CAS Key Laboratory of Green Process and Engineering, National Engineering Laboratory for Hydrometallurgical Cleaner Production Technology, Institute of Process Engineering, Chinese Academy of Sciences, Beijing 100090, China. E-mail: xjhou@home.ipe.ac.cn.

3 School of Chemical Engineering, University of Chinese Academy of Sciences, Beijing 100049, China.




Fig. S1. WAXD of XDI-PUE.




Fig. S2. Photographs of XDI-PUE under UV-light. (a) Origin, (b) After 24 h.




Fig. S3. GPC curve of XDI-PUE.




Fig. S4. ¹H NMR spectrum of XDI-PUE.




Fig. S5. ^{13}C NMR spectrum of XDI-PUE.




Fig. S6. TGA curve of XDI-PUE.




Fig. S7. DMA curve of XDI-PUE.