

-Supporting Information-

Organocatalytic Synthesis of (Het)biaryl Scaffolds *via* Photoinduced Intra/Inter Molecular C(sp²)-H Arylation by 2-pyridone Derivative

Tapas K. Das^{†¶}, Mrinalkanti Kundu^{†*}, Biswajit Mondal^{†¶}, Prasanjit Ghosh^{¶*} and Sajal Das^{¶*}


†TCG Lifesciences Pvt. Ltd., BN-7, Sector V, Salt Lake City, Kolkata- 700091, India

¶Department of Chemistry, University of North Bengal, Darjeeling – 734013, India


Sl. No.	Contents	Page No.
1	KIE study via parallel experiment	S3
2	<i>¹H NMR & ¹³C NMR Spectral Data of L1-L3</i>	S4-S6
3	<i>¹H NMR, ¹³C NMR, & ¹⁹F NMR Spectral Data of compound 3a-o</i>	S7-S22
4	<i>¹H NMR & ¹³C NMR Spectral Data of 3s-t</i>	S23-S24
5	<i>¹H NMR, ¹³C NMR & ¹⁹F NMR Spectral Data of compound 7a-c</i>	S25-S34
6	<i>¹H NMR, ¹³C NMR Spectral Data of compound 3p-3q, 1r, 3r</i>	S35-S38
7	<i>¹H NMR, ¹³C NMR Spectral Data of compound 11a-c, 12a-b, 13 & HMBC, HSQC data of 11b</i>	S39-S45
8	<i>¹H NMR Spectra of 3a-d₅</i>	S46
9	<i>Images of UV-light irradiation set up</i>	S47
10	<i>UV-absorption spectra of L1 and its salt</i>	S47-S51

1: KIE study *via* parallel experiment

Kinetic isotope effect *via* parallel experiment





time (hr)	1	2	6	24
3a (yield; %)	19	20	23	82
3a-d ₅ (yield; %)	70	72	74	95





Characterization data: ^1H NMR, ^{13}C NMR Spectral data of compound L1-L3



^1H & ^{13}C NMR spectra of L1



^1H & ^{13}C NMR spectra of L2





¹H & ¹³C NMR spectra of L3





2: Characterization data: ^1H NMR, ^{13}C NMR & ^{19}F NMR Spectral data of compound **3a-o**



^1H & ^{13}C spectra of **3a**




^1H & ^{13}C NMR spectra of 3b




^1H & ^{13}C NMR spectra of 3c




¹H NMR spectra of 3d





¹³C NMR spectra of 3d




^{19}F NMR spectra of 3d




^1H & ^{13}C NMR spectra of **3e**





^1H NMR spectra of 3f





^{13}C NMR spectra of 3f




^1H & ^{13}C NMR spectra of 3g




^1H & ^{13}C NMR spectra of 3h





¹H NMR spectra of 3i





¹³C NMR spectra of 3i




^1H & ^{13}C NMR spectra of 3j





¹H & ¹³C NMR spectra of 3k




¹H NMR spectra of 3I




¹³C & ¹⁹F NMR spectra of 3I




¹H NMR spectra of 3m




¹³C NMR spectra of 3m





¹H NMR spectra of 3n



¹³C NMR spectra of 3n





^1H & ^{13}C NMR spectra of 3o





3: Characterization data: ^1H NMR & ^{13}C NMR Spectral data of compound 3s-t

^1H & ^{13}C NMR of 3s





¹H & ¹³C NMR spectra of 3t





4. Characterization Data: ^1H -NMR, ^{13}C NMR & ^{19}F NMR of compound **7a-c**


^1H & ^{13}C NMR spectra of **o-7a**




^1H & ^{13}C NMR spectra of m-7a




¹H NMR spectra of p-7a





¹³C NMR spectra of p-7a





^1H & ^{13}C NMR spectra of o-7b





^1H & ^{13}C NMR spectra of m-7b



^1H & ^{13}C NMR spectra of p-7b





¹H & ¹³C NMR spectra of o-7c




^{19}F NMR spectra of o-7c


— 62.5976





¹H NMR spectra of m-7c



¹³C NMR spectra of m-7c





^1H & ^{13}C NMR spectra of p-7c





5. Characterization data: ^1H NMR & ^{13}C NMR spectral data of compound **3p-q**, **1r**, **3r**


^1H & ^{13}C NMR spectra of **3p**




^1H & ^{13}C NMR spectra of 3q




¹H NMR spectra of 1r




¹³C NMR spectra of 1r



¹H NMR spectra of 3r




¹³C NMR spectra of 3r




6. Characterization data: $^1\text{H-NMR}$, $^{13}\text{C NMR}$ of compound **11a-c**, **12a-b**, **13** & HMBC, HSQC data of compound **11b**





$^1\text{H NMR}$ spectra of **11a**



$^{13}\text{C NMR}$ spectra of **11a**




^1H & ^{13}C NMR spectra of 11b




HMBC and HSQC data of compound 11b



HMBC data of 11b




HSQC data of 11b




^1H & ^{13}C NMR spectra of 11c




¹H NMR spectra of 12a




¹³C NMR spectra of 12a




¹H NMR spectra of 12b




¹³C NMR spectra of 12b




¹H NMR spectra of 13




¹³C NMR spectra of 13



¹H NMR spectra of 3a-d₅



Images of UV-light ($\lambda < 310$ nm) irradiation set-up:




UV-absorption spectroscopy studies of L1 and its potassium salt

L1 catalyst and its potassium salt in DMSO

Spectrum Measurement Report

Data set: File_211122_172113 - RawData



Software Information		[Measurement Properties]	
Software Name:	UVProbe	Wavelength Range (nm.):	250.00 to 400.00
Version:	2.70	Scan Speed:	Fast
Mode:	LabSolutions	Sampling Interval:	0.1
Data Information		Auto Sampling Interval:	Enabled
Data is:	Original	Scan Mode:	Single
Method:	Default Project - L1-k-DMSO.smd	[Instrument Properties]	
Date/Time:	22-11-2021 17:22:21	Instrument Type:	UV-1900 Series
Comments:		Measuring Mode:	Absorbance
Instrument Information		Slit Width:	1.0 nm
Instrument Name:	TLI150GUVH50-Instrument1	Light Source Change Wavelength:	340.8 nm
Instrument Type:	UV-1900 Series	S/R Exchange:	Normal
Model (S/N):	UV-1900 (A12425680191)	[Attachment Properties]	
		Attachment:	None
		[Operation]	
		Threshold:	0.0010000
		Points:	4
		InterPolate:	Disabled
		Average:	Disabled
		[Sample Preparation Properties]	
		Weight:	
		Volume:	
		Dilution:	
		Path Length:	
		Additional Information:	


<Peak Pick Table>

No.	P/V	Wavelength	Abs.	Description
1		313.40	0.260	
2		258.50	0.134	
3		293.50	0.238	
4		263.10	0.120	

Spectrum Measurement Report

Report Created: 22-11-2021 17:15:42

Data set: File_211122_170417 - RawData



Software Information

Software Name: UVProbe
Version: 2.70
Mode: LabSolutions

Data Information

Data is: Original
Method: Default Project - L1-k-DMSO.smd

Date/Time: 22-11-2021 17:05:29
Comments:

Instrument Information

Instrument Name: TL1150GUVH50-Instrument1
Instrument Type: UV-1900 Series
Model (S/N): UV-1900 (A12425680191)

[Measurement Properties]

Wavelength Range (nm.): 250.00 to 400.00
Scan Speed: Fast
Sampling Interval: 0.1
Auto Sampling Interval: Enabled
Scan Mode: Single

[Instrument Properties]

Instrument Type: UV-1900 Series
Measuring Mode: Absorbance
Slit Width: 1.0 nm
Light Source Change Wavelength: 340.8 nm
S/R Exchange: Normal

[Attachment Properties]

Attachment: None

[Operation]

Threshold: 0.0010000
Points: 4
InterPolate: Disabled
Average: Disabled

[Sample Preparation Properties]

Weight:
Volume:
Dilution:
Path Length:
Additional Information:


<Peak Pick Table>

No.	P/V	Wavelength	Abs.	Description
1	⬆	326.90	0.269	
2	⬆	259.10	0.378	
3	⬆	251.40	0.019	
4	⬇	282.30	0.127	
5	⬇	251.90	-2.329	

Spectrum Measurement Report

Report Created: 22-11-2021 20:22:13

Data set: File_211122_201902 - RawData




Software Information	[Measurement Properties]
Software Name: UVProbe	Wavelength Range (nm.): 250.00 to 400.00
Version: 2.70	Scan Speed: Fast
Mode: LabSolutions	Sampling Interval: 0.1
	Auto Sampling Interval: Enabled
	Scan Mode: Single
Data Information	[Instrument Properties]
Data is: Original	Instrument Type: UV-1900 Series
Method: Default Project - L1-benzene.smd	Measuring Mode: Absorbance
	Slit Width: 1.0 nm
Date/Time: 22-11-2021 20:20:09	Light Source Change Wavelength: 340.8 nm
Comments:	S/R Exchange: Normal
Instrument Information	[Attachment Properties]
Instrument Name: TL1150GUVH50-Instrument1	Attachment: None
Instrument Type: UV-1900 Series	
Model (S/N): UV-1900 (A12425680191)	
	[Operation]
	Threshold: 0.0010000
	Points: 4
	InterPolate: Disabled
	Average: Disabled
	[Sample Preparation Properties]
	Weight:
	Volume:
	Dilution:
	Path Length:
	Additional Information:

<Peak Pick Table>

No.	P/V	Wavelength	Abs.	Description
1	●	318.40	0.780	
2	●	275.40	0.316	
3	●	274.40	0.615	
4	●	272.60	-0.278	
5	●	268.90	-0.623	
6	●	265.40	-1.015	
7	●	263.00	-0.406	
8	●	254.60	-0.845	
9	●	251.90	0.333	
10	●	275.90	0.272	
11	●	275.00	-0.262	
12	●	273.40	-1.738	
13	●	271.50	-3.001	
14	●	266.60	-3.337	
15	●	263.60	-3.400	
16	●	258.40	-4.000	
17	●	252.40	-3.718	

Spectrum Measurement Report

Data set: File_211122_202817 - RawData



Software Information		[Measurement Properties]	
Software Name:	UVProbe	Wavelength Range (nm.):	250.00 to 400.00
Version:	2.70	Scan Speed:	Fast
Mode:	LabSolutions	Sampling Interval:	0.1
Data Information		Auto Sampling Interval:	Enabled
Data is:	Original	Scan Mode:	Single
Method:	Default Project - L1-benzene.smd	[Instrument Properties]	
Date/Time:	22-11-2021 20:29:25	Instrument Type:	UV-1900 Series
Comments:		Measuring Mode:	Absorbance
Instrument Information		Slit Width:	1.0 nm
Instrument Name:	TL150GUVH50-Instrument1	Light Source Change Wavelength:	340.8 nm
Instrument Type:	UV-1900 Series	S/R Exchange:	Normal
Model (S/N):	UV-1900 (A12425680191)	[Attachment Properties]	
		Attachment:	None
		[Operation]	
		Threshold:	0.0010000
		Points:	4
		InterPolate:	Disabled
		Average:	Disabled
		[Sample Preparation Properties]	
		Weight:	
		Volume:	
		Dilution:	
		Path Length:	
		Additional Information:	

<Peak Pick Table>

No.	P/V	Wavelength	Abs.	Description
1	●	321.30	0.132	
2	●	280.00	0.062	
3	●	275.70	0.096	
4	●	273.30	-0.963	
5	●	270.00	-0.720	
6	●	261.70	-0.341	
7	●	258.30	-2.577	
8	●	256.40	-2.994	
9	●	254.00	-1.021	
10	●	252.50	-1.745	
11	●	251.00	-2.692	
12	●	283.00	0.059	
13	●	276.50	0.027	
14	●	273.90	-2.034	
15	●	271.10	-2.562	
16	●	264.50	-4.000	
17	●	258.90	-3.609	
18	●	256.80	-4.000	
19	●	255.40	-4.000	
20	●	253.40	-3.741	