

Supporting Information

One-shot Synthesis of Star Gradient Copolymers with Controllable Graft Density

Cuiping Hou,^{[a][b]} Chulu Zhou^{[a][c]} and Jianhua Cheng ^{*[a][c]}

[a] State Key Laboratory of Polymer Physics and Chemistry

Changchun Institute of Applied Chemistry

Chinese Academy of Sciences

No. 5625, Renmin Street, Changchun 130022 (China)

E-Mail: jhcheng@ciac.ac.cn

[b] University of the Chinese Academy of Sciences

Changchun Branch, Changchun 130022 (China)

[c] University of Science and Technology of China

Hefei, Anhui 230029 (China)

Contents

Figure S1. ^1H NMR spectrum (500 MHz) of PS in CDCl_3 (*) at 25 °C.

Figure S2. ^1H NMR spectrum (500 MHz) of PFP in CDCl_3 (*) at 25 °C.

Figure S3. ^{19}F $\{^1\text{H}\}$ NMR spectrum (471 MHz) of PFP in CDCl_3 at 25 °C.

Figure S4. ^{13}C $\{^1\text{H}\}$ NMR spectrum (125 MHz) of PFP in CDCl_3 at 25 °C.

Figure S5. Conformation plot of star gradient graft copolymers with different feed ratios.

Figure S6. ^1H NMR spectra (500 MHz) of functionalized copolymers in CDCl_3 (*) at 25 °C.

Figure S7. ^{19}F NMR spectra (471 MHz) of functionalized copolymers in CDCl_3 at 25 °C.

Figure S8. FT-IR of functionalized copolymers.




Figure S1. ¹H NMR spectrum (500 MHz) of PS in CDCl₃ (*) at 25 °C.




Figure S2. ¹H NMR spectrum (500 MHz) of PFP in CDCl₃ (*) at 25 °C.




Figure S3. ^{19}F $\{^1\text{H}\}$ NMR spectrum (471 MHz) of PFP in CDCl_3 at 25 °C.




Figure S4. ^{13}C $\{^1\text{H}\}$ NMR spectrum (125 MHz) of PFP in CDCl_3 (*) at 25 °C.




Figure S5. Conformation plot of star gradient graft copolymers with different feed ratios by SEC-MALLS analysis.




Figure S6. ^1H NMR spectra (500 MHz) of functionalized copolymers in CDCl_3 (*) at 25 °C.




Figure S7. ¹⁹F NMR spectra (471 MHz) of functionalized copolymers in CDCl₃ at 25 °C.




Figure S8. FT-IR of functionalized copolymers.