

Supporting Information

Consecutive reactions to construct tricarbonyl compounds and synthetic applications thereof.

Table of Contents

General information:	1
Materials	2
Instrumentation.....	2
Experimental procedures and characterization data of cyanocarbonates.....	3
Method A.....	3
Método B.....	4
General procedure for conjugate additions and Characterization data	11
NMR Spectra	20

General information:

All experiments involving air and/or moisture-sensitive compounds were conducted in an oven dried round-bottom flask capped with a rubber septum under a positive pressure of nitrogen. Air- and moisture-sensitive liquids were transferred via syringe or stainless-steel cannula. Low temperature baths were: ice/water (0 °C), CO₂(s)/acetone (−78 °C). Unless otherwise noted, reaction temperatures refer to that of the bath. Concentration refers to removal of volatiles on a rotary evaporator below 35 °C. Analytical thin-layer chromatography (TLC) was performed using glass plates pre-coated with silica gel (0.25-mm, 60-Å pore size, 230–400 mesh, Merck) impregnated with a fluorescent indicator (254 nm). Materials on TLC plates were visualized under an ultraviolet lamp (254 nm) and/or by submersion of the plate in a solution of phosphomolybdic acid (5%) containing a trace of ceric sulfate in aqueous sulfuric acid (5% v/v) followed by charring on a hot plate. Flash column chromatography (FCC) was performed according to Still et al. with silica gel 60 (40–63 µm). All mixed solvent eluents are reported as v/v solutions. Unless otherwise noted, all reported compounds were homogeneous by thin layer chromatography (TLC) and by ¹H NMR.

Materials

All the reagents were purchased from Sigma-Aldrich and were used as received unless other thing stated. Solvents were distilled prior to use. Anhydrous solvents were distilled under nitrogen atmosphere. THF and diethyl ether were distilled on sodium benzophenone ketyl; MeOH on magnesium activated with 5% iodine. Et₃N, CH₃CN dichloroethane and DMF were distilled on CaH₂.

Instrumentation


Proton nuclear magnetic resonance (¹H NMR) spectra and carbon nuclear magnetic resonance (¹³C NMR) spectra were recorded on Agilent-Inova-300 and Varian VNMRS-400 NMR spectrometers. Proton chemical shifts are expressed in parts per million (ppm, δ scale) and are referenced to tetramethylsilane (TMS: 0.0). Carbon chemical shifts are expressed in parts per million (ppm, δ scale) and are referenced to and are referenced to tetramethylsilane (TMS: 0.0).

Data are represented as follows: chemical shift, multiplicity (s = singlet, d = doublet, t = triplet, q = quartet, dd = doublet of doublets, dt = doublet of triplets, td = triplet of doublets, ddd = doublet of doublets of doublets, ddt = doublet of doublets of triplets, dqd = doublet of quartets of doublets, m = multiplet, br = broad, app = apparent), integration, and coupling constant (J) in Hertz (Hz). IR spectra were recorded on a Perkin-Elmer Spectrum 400 FT-IR/FIR spectrometer with ATR. Mass spectra were carried out on a JEOL SMX-102a spectrometer.



For compounds 6e, 7e, 7f, 7h, 7p, 8g, and 8n, CDCl₃ was used as a standard. For the rest of the analyzed compounds, TMS was the standard. This information is included in the ESI.

NMR Spectra


Cyano(phenyl)methyl methyl carbonate (6a)




USAII-UNAM
DM0289A
 CDCl_3
 ^1H 400 MHz




Cyano(furan-2-yl)methyl methyl carbonate (6b)




USAII-UNAM
DM0289B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM0289B
 CDCl_3
 ^{13}C 400 MHz




tert-Butyl (cyano(phenyl)methyl) carbonate (6c)




USAII-UNAM
DM02157B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2157B
 CDCl_3
 ^{13}C 400 MHz




Cyano(4-methoxyphenyl)methyl methyl carbonate (6d)




USAII-UNAM
DM02156B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2156B
 CDCl_3
 ^{13}C 400 MHz




(2-Bromophenyl)(cyano)methyl methyl carbonate (6e)




USAII-UNAM
 DM0299A
 CDCl₃
¹H 400 MHz




USAII-UNAM
 DM0299A
 CDCl₃
¹³C 400 MHz




Cyano(2-nitrophenyl)methyl methyl carbonate (6f)




USAII-UNAM
DM02162B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM02162b
 CDCl_3
 ^{13}C 400 MHz




(6-Bromobenzo[*d*][1,3]dioxol-5-yl)(cyano)methyl methyl carbonate (6g)




USAII-UNAM
DM02164B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2164B
 CDCl_3
 ^{13}C 400 MHz




Cyano(phenyl)methyl ethyl carbonate (7a)




USAII-UNAM
DM02166B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2166B
 CDCl_3
 ^{13}C 400 MHz




Cyano(furan-2-yl)methyl ethyl carbonate (7b)




USAII-UNAM
 DM02167A
 CDCl_3
 ^1H 400 MHz





USAII-UNAM
 DM2167A
 CDCl_3
 ^{13}C 400 MHz




Cyano(thiophen-2-yl)methyl ethyl carbonate (7c)




USAII-UNAM
 DM02200A
 CDCl₃
¹H 400 MHz




tert-Butyl 2-(cyano((ethoxycarbonyl)oxy)methyl)-1*H*-pyrrole-1-carboxylate (7d)




USAII-UNAM
DM2186B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2186B
 CDCl_3
 ^{13}C 400 MHz




Cyano(pyridin-2-yl)methyl ethyl carbonate (7e)




USAII-UNAM
DM02167B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2167B
 CDCl_3
 ^{13}C 400 MHz




Cyano(pyridin-3-yl)methyl ethyl carbonate (7f)




USAII-UNAM
 DM02168A
 CDCl₃
¹H 400 MHz




USAII-UNAM
 DM2168a
 CDCl₃
¹³C 400 MHz




Cyano(pyridin-4-yl)methyl ethyl carbonate (7g)




USAII-UNAM
DM2168B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2168B
 CDCl_3
 ^{13}C 400 MHz




Cyano(2-nitrophenyl)methyl ethyl carbonate (7g)




USAII-UNAM
 DM2173A
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
 DM2173A
 CDCl_3
 ^{13}C 400 MHz




Benzofuran-2-yl(cyano)methyl ethyl carbonate (7h)




USAII-UNAM
DM2169A
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2169A
 CDCl_3
 ^{13}C 400 MHz




Benzo[*b*]thiophen-2-yl(cyano)methyl ethyl carbonate (7i)




USAII-UNAM
DM02170A
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2170A
 CDCl_3
 ^{13}C 400 MHz




tert-Butyl 2-(cyano((ethoxycarbonyl)oxy)methyl)-1*H*-indole-1-carboxylate (7j)




USAII-UNAM
DM02187A
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2187A
 CDCl_3
 ^{13}C 400 MHz




Methyl 2-(cyano((ethoxycarbonyl)oxy)methyl)benzoate (7k)




USAII-UNAM
DM021COOMe
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM21COOMe
 CDCl_3
 ^{13}C 400 MHz




(2-Bromophenyl)(cyano)methyl ethyl carbonate (7l)




USAII-UNAM
DM0327B
¹H 400 MHz





USAII-UNAM
DM2327B
¹³C 400 MHz




Cyano(2-methoxyphenyl)methyl ethyl carbonate (7m)




USAII-UNAM
DM021oOMe
 CDCl_3
 ^1H 400 MHz




Cyano(3-methoxyphenyl)methyl ethyl carbonate (7n)




USAII-UNAM
DM021mOMe
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM21mOMe
 CDCl_3
 ^{13}C 400 MHz




Cyano(cyclohexyl)methyl ethyl carbonate (7o)




USAII-UNAM
 DM02171B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
 DM2171B
 CDCl_3
 ^{13}C 400 MHz




Methyl 6-benzoyl-2-hydroxycyclohex-1-ene-1-carboxylate (8a)




USAII-UNAM
DM0291A
CDCl₃
¹H 400 MHz




USAII-UNAM
DM0291A
CDCl₃
¹³C 400 MHz




Ethyl 6-benzoyl-2-hydroxycyclohex-1-ene-1-carboxylate (8b)




USAII-UNAM
DM02186A
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2186A
 CDCl_3
 ^{13}C 400 MHz




tert-Butyl 6-benzoyl-2-hydroxycyclohex-1-ene-1-carboxylate (8c)





USAII-UNAM
DM02175A
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2175A
 CDCl_3
 ^{13}C 400 MHz




Methyl 6-(furan-2-carbonyl)-2-hydroxycyclohex-1-ene-1-carboxylate (8d)




tert-Butyl 2-(3-hydroxy-2-(methoxycarbonyl)cyclohex-2-ene-1-carbonyl)-1*H*-pyrrole-1-carboxylate (8e)




USAII-UNAM
DM02189B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2189B
 CDCl_3
 ^{13}C 400 MHz




Methyl 6-(thiophen-2-carbonyl)-2-hydroxycyclohex-1-ene-1-carboxylate (8f)




USAII-UNAM
DM317B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM317B
 CDCl_3
 ^{13}C 400 MHz




Methyl 6-(2-bromobenzoyl)-2-hydroxycyclohex-1-ene-1-carboxylate (8g)




USAII-UNAM
DM0299B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM0299B
 CDCl_3
 ^{13}C 400 MHz




Ethyl 6-(2-bromobenzoyl)-2-hydroxycyclohex-1-ene-1-carboxylate (8h)




USAII-UNAM
DM328A
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM328A
 CDCl_3
 ^{13}C 400 MHz




Methyl 2-hydroxy-6-(2-nitrobenzoyl)cyclohex-1-ene-1-carboxylate (8i)




USAII-UNAM
DM2174A
¹H 400 MHz




USAII-UNAM
DM2174A
¹³C 400 MHz




Methyl 2-hydroxy-6-(3-methoxybenzoyl)cyclohex-1-ene-1-carboxylate (8j)




USAII-UNAM
DM02198A
CDCl₃
¹H 400 MHz




USAII-UNAM
DM2198A
CDCl₃
¹³C 400 MHz




Ethyl 2-hydroxy-6-picolinoylcyclohex-1-ene-1-carboxylate (8k)




USAII-UNAM
DM02188B
 CDCl_3
 ^1H 400 MHz





USAII-UNAM
DM2188B
 CDCl_3
 ^{13}C 400 MHz




Ethyl 2-hydroxy-6-nicotinoylcyclohex-1-ene-1-carboxylate (8l)




USAII-UNAM
DM02175B
 CDCl_3
 ^1H 400 MHz




Methyl 2-hydroxy-6-(4-methoxybenzoyl)cyclohex-1-ene-1-carboxylate (8m)




USAII-UNAM
DM02176A
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2176A
 CDCl_3
 ^{13}C 400 MHz




Methyl 6-(6-bromobenzo[*d*][1,3]dioxole-5-carbonyl)-2-hydroxycyclohex-1-ene-1-carboxylate (8n)




USAII-UNAM
DM2174B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2174B
 CDCl_3
 ^{13}C 400 MHz




tert-Butyl 2-(3-hydroxy-2-(methoxycarbonyl)cyclohex-2-ene-1-carbonyl)-1*H*-indole-1-carboxylate (8o)




USAII-UNAM
DM2189A
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2189A
 CDCl_3
 ^{13}C 400 MHz




Methyl 2-benzoyl-5-oxocyclopentane-1-carboxylate (9a)




USAII-UNAM
DM2180B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2180B
 CDCl_3
 ^{13}C 400 MHz




Methyl 2-benzoyl-7-oxocycloheptane-1-carboxylate (9b)





USAII-UNAM
DM02181B
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM2181B
 CDCl_3
 ^{13}C 400 MHz




Methyl 6-benzoyl-2-hydroxy-6-methylcyclohex-1-ene-1-carboxylate (9c)




Ethyl 4-oxo-1-phenyl-3,4,5,6,7,7a-hexahydro-3aH-indene-3a-carboxylate (10)




USAII-UNAM
DM325A
 CDCl_3
 ^1H 400 MHz




USAII-UNAM
DM325A
 CDCl_3
 ^{13}C 400 MHz




8-phenyl-2,3,3a,3b,5,6,7,7a-octahydrocyclopenta[a]indene-1,4-dione (11)



USAII-UNAM
DM329A
 CDCl_3
 ^1H 400 MHz



USAII-UNAM
DM329A
 CDCl_3
 ^{13}C 400 MHz



2-acetyl-1-phenyl-3,3a,5,6,7,7a-hexahydro-4H-inden-4-one (12)

