## Supplementary information

## 3D-printed monolithic biofilters based on polylactic acid (PLA) - hydroxyapatite (HAp) composite for heavy metal removal from aqueous medium

Natalia Fijoł<sup>a</sup>, Hani Nasser Abdelhamid<sup>a,b</sup>, Binsi Pillai<sup>c</sup>, Stephen A. Hall<sup>d</sup>, Nebu Thomas<sup>f</sup> and Aji

P. Mathew<sup>a\*</sup>

<sup>a</sup> Department of Materials and Environmental Chemistry, Stockholm University, Frescativägen 8, 106 91, Stockholm, Sweden

<sup>b</sup>Advanced Multifunctional Materials Laboratory, Department of Chemistry, Faculty of Science, Assiut University, Assiut 71515, Egypt

<sup>c</sup> ICAR-Central Institute of Fisheries Technology, Matsyapuri, Willington Island, Cochin, India – 682 029

<sup>d</sup>Division of Solid Mechanics, Lund University, Lund Sweden

<sup>e</sup>Lund Institute of Advanced Neutron and X-ray Science, Lund Sweden

<sup>f</sup>Department of Periodontology, Pushpagiri College Of Dental Sciences, Thiruvalla, Kerala, India

Correspondence to:

\*Aji P Mathew

E-mail and phone: aji.mathew@mmk.su.se; +46 8161256

Address: Department of Materials and Environmental Chemistry, Stockholm University,

Frescativägen 8, 106 91, Stockholm, Sweden



**Figure S1.** Disc-shapes models for ion adsorption study a) PLA, b) HAp/PLA, c) SEM porosity structure measurement



Figure S2. Thermal stability of the PLA and PLA/HAp 3D printing filaments



Figure S3 Elemental composition using XPS data.



**Figure S4** Characterization of Pb adsorbed into HAp/PLA using a) SEM image, b) EDX mapping and c) elemental mapping.



**Figure S5** Characterization of Cd adsorbed into HAp/PLA using a) SEM image, b) EDX mapping and c) elemental mapping.