

Supporting Information for

Preparation and Crystal Transition of Functionalized Poly (1-butene) Containing PFPU and mPEG Side Chain

Chuang Li^a, ZeFeng Cui^a, Min Yang^a, HaiFeng Shi^{b}, BinYuan Liu^{a*}*

^a Hebei Key Laboratory of Functional Polymer Materials, School of Chemical Engineering and Science, Hebei University of Technology, Tianjin 300130, China

^b State Key Laboratory of Separation Membranes and Membrane Processes, School of Materials Science and Engineering, Tiangong University, Tianjin 30038, China




Figure S1. Photos of samples. (a) PB-0, (b) PB-0.03 mol %, (c) PB-0.16 mol %, (d) PB-0.26 mol %, (e) PB-0.36 mol %, (f) PB-0.59 mol %.




Figure S2. The IR spectra of PB-0, PB-PFP and PB-mPEG.




Figure S3. ^1H NMR spectra of CCl_4 , PB-PFP and PB-mPEG. (a) CCl_4 , (b) PB-PFP, (c) PB-mPEG350, (d) PB-mPEG500, (e) PB-mPEG750, (f) PB-mPEG2000, (g) new- CCl_4 , the asterisk from CCl_4 .




Figure S4. DSC results of PB with different PFP contents. (a) secondary heating curves, (b) cooling curves.




Figure S5. DSC results of PB with different molecular weight mPEGs. (a) secondary heating curves, (b) cooling curves.




Figure S6. DSC results of phase transition of different samples. (a) PB-0, (b) PB-0.26 mol %, (c) PB-0.36 mol %, (d) PB-0.59 mol %, (e) PB-mPEG350, (f) PB-mPEG500, (g) PB-mPEG750, (h) PB-mPEG2000.




Figure S7. DSC curves of phase transition of PB with different mPEG addition amounts. (a) iPB; (b) mPEG-0.3 wt %; (c) mPEG-0.5 wt %; (d) mPEG-1.0 wt %.




Figure S8. GPC curves of PB with different PFP contents.