

Metal-organic Framework Derived Porous Ternary ZnCo_2O_4 Nanoplate Arrays Grown on Carbon Cloth for Simultaneous Electrochemical Determination of Ascorbic Acid, Dopamine and Uric Acid

Zhikun Hu^a, Peng Zhao^a, Jiawei Li^{a,b}, Yuanyuan Chen^a, Huisi Yang^a, Jiaying Zhao^a, Jiangbo Dong^a, Na Qi^a, Mei Yang^{a,*}, Danqun Huo^{a,*}, Changjun Hou^{a,c,*}

^a Key Laboratory for Biorheological Science and Technology (Chongqing University), Ministry of Education, College of Bioengineering, Chongqing University, Chongqing, 400044, PR China.

^b Chongqing University Three Gorges Hospital, Chongqing, 404000, PR China

^c Chongqing Key Laboratory of Bio-perception & Intelligent Information Processing, School of Microelectronics and Communication Engineering, Chongqing University, Chongqing, 400044, PR China.

* Corresponding authors: yangmei@cqu.edu.cn; houcj@cqu.edu.cn; huodq@cqu.edu.cn




Fig. S1. CV curves of (a) 2 mM AA, (b) 80 μM DA and (c) 120 μM UA in PBS at ZnCo_2O_4 NA/CC with different scan rate. Inset are the corresponding plots of peak current versus scan rate.




Fig. S2. DPV response in real serum sample.