

Multi-Target Antibacterial Mechanism of Ruthenium Polypyridine Complexes with anthraquinone groups against *Staphylococcus aureus*

Contents

Fig. S1. The synthetic route of three Ru(II) complexes.....	1
Fig. S2-S5. The ^1H NMR of PPAD ligand and Ru-1 - Ru-3	1-3
Fig. S6-S9. The ^{13}C NMR of PPAD ligand and Ru-1 - Ru-3	3-5
Fig. S10-S13. The HMRS of PPAD ligand and Ru-1 - Ru-3	6-9
Fig. S14. The HPLC trace of Ru-1 - Ru-3	10
Fig. S15. The stability of three complexes (Ru-1 - Ru-3) in acetonitrile or water at 0 h, and	48
	h

	11
Table S1. MIC of Ru-1 to <i>S. aureus</i> with different antibiotic resistance.....	
11	




Fig. S1. The synthetic route of three Ru(II) complexes.




Fig. S2. ^1H NMR spectrum of PPAD.




Fig. S3 ¹H NMR spectrum of Ru-1.




Fig. S4 ¹H NMR spectrum of Ru-2.




Fig. S5 ¹H NMR spectrum of Ru-3.




Fig. S6. ¹³C NMR spectrum of PPAD.




Fig. S7 ^{13}C NMR spectrum of Ru-1.




Fig. S8 ^{13}C NMR spectrum of Ru-2.




Fig. S9 ^{13}C NMR spectrum of **Ru-3**.





Fig. S10 HRMS spectrum of PPAD.




Fig. S11 HRMS spectrum of **Ru-1**.




Fig. S12 HRMS spectrum of **Ru-2**.




Fig. S13 HRMS spectrum of Ru-3.




Fig. S14 HPLC spectrum of **Ru-1**, **Ru-2** and **Ru-3**.




Fig. S15 stability of **Ru-1**, **Ru-2** and **Ru-3**.

Table S1. MIC ($\mu\text{g/mL}$) of **Ru-1** to *S. aureus* with different antibiotic resistance.

	<i>S. aureus</i>	PBRSA	ORSA	ARSA	TRSA	CRSA
Ru-1	1	1	1	1	1	1

PBRSA: polymyxin B resistant *S. aureus*. ORSA: ofloxacin resistant *S. aureus*. ARSA: ampicillin resistant *S. aureus*. TRSA: tetracycline resistant *S. aureus*. CRSA: clindamycin resistant *S. aureus*.