# checkCIF/PLATON report

Structure factors have been supplied for datablock(s) sh434

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

## Datablock: sh434

Bond precision:	C-C = 0.0016 A	Wavelength=0.71073	
Cell:	a=5.8212(4) alpha=90	b=11.9073(9) beta=112.794(1)	c=7.3664(5) gamma=90
Temperature:	100 K		
	Calculated	Reported	
Volume	470.72(6)	470.72(6)	
Space group	P 21/c	P 21/c	
Hall group	-P 2ybc	-P 2ybc	
Moiety formula	C4 H8 C12 N4 O4	C4 H8 Cl2	N4 O4
Sum formula	C4 H8 C12 N4 O4	C4 H8 Cl2	N4 O4
Mr	247.04	247.04	
Dx,g cm-3	1.743	1.743	
Z	2	2	
Mu (mm-1)	0.686	0.686	
F000	252.0	252.0	
F000'	252.70		
h,k,lmax	7,16,9	7,16,9	
Nref	1214	1209	
Tmin, Tmax	0.891,0.947	0.843,0.94	17
Tmin'	0.792		
Correction method= # Reported T Limits: Tmin=0.843 Tmax=0.947 AbsCorr = MULTI-SCAN			
Data completenes	ss= 0.996	Theta(max) = 28.844	
R(reflections)=	0.0248( 1115)		wR2(reflections) = 0.0615( 1209)
S = 1.066	Npar= 6	54	1203,

The following ALERTS were generated. Each ALERT has the format test-name\_ALERT\_alert-type\_alert-level.

Click on the hyperlinks for more details of the test.

```
Alert level G
```

```
PLAT912_ALERT_4_G Missing # of FCF Reflections Above STh/L= 0.600 5 Note PLAT941_ALERT_3_G Average HKL Measurement Multiplicity ........ 4.6 Low PLAT978_ALERT_2_G Number C-C Bonds with Positive Residual Density. 0 Info
```

```
O ALERT level A = Most likely a serious problem - resolve or explain
O ALERT level B = A potentially serious problem, consider carefully
O ALERT level C = Check. Ensure it is not caused by an omission or oversight
ALERT level G = General information/check it is not something unexpected

O ALERT type 1 CIF construction/syntax error, inconsistent or missing data
ALERT type 2 Indicator that the structure model may be wrong or deficient
ALERT type 3 Indicator that the structure quality may be low
ALERT type 4 Improvement, methodology, query or suggestion
O ALERT type 5 Informative message, check
```

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special\_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

#### **Publication of your CIF in IUCr journals**

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

#### **Publication of your CIF in other journals**

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

### PLATON version of 18/05/2022; check.def file version of 17/05/2022

Datablock sh434 - ellipsoid plot

