

Supporting Information

Emulsifier-modulated covalent organic frameworks for photocatalytic degradation of organic dyes

Xiaoqin Li,^a Xueqin Chen^{*a}, Cao Li,^{a,c} Ziqiang Xu^{*a,c}, Bingbing Jiang^{*a,b,c}

Key Laboratory of Polymer Materials in hubei, Hubei Collaborative Innovation Center for Advanced Organic Chemical Materials, Key Laboratory of Green Preparation and Application of Functional Materials, Hubei , School of Materials Science & Engineering, Hubei University, Wuhan 430062, China.

E-mail: 20120073@hubu.edu.cn, ziqiang.xu@hubu.edu.cn, bingbingjiang@hubu.edu.cn;

Table of contents

1. PXRD patterns of COF, COF-Triton X-100, COF-SDS, COF-PVA. (Figure S1)
2. UV-vis absorption spectra of MB solution by COF-SDS (a), COF-PVA (b). (Figure S2)
3. Reusability of COF for the photocatalytic degradation of MB solution. (Figure S3)




Figure S1. PXRD patterns of COF, COF-Triton X-100, COF-SDS, COF-PVA.




Figure S2. UV-vis absorption spectra of MB solution by COF-SDS (a), COF-PVA (b).




Figure S3. Reusability of COF for the photocatalytic degradation of MB solution.