

Supporting Information

***Washingtonia Robusta* Porous Carbon for 2-electrode Supercapacitor Device Application: Effect of activation parameters**

Joyce Elisadiki^{a, b} Mavis K. Gabookolwe^a, Oluwatayo R. Onisuru^c, Reinout Meijboom^c, Cosmas Muiva^d and Cecil K. King'onda^{a, e*}

^aDepartment of Chemical and Forensic Sciences, Botswana International University of Science and Technology, Private Bag 16, Palapye, Botswana

^bDepartment of Physics, University of Dodoma, P.O. Box 338, Dodoma, Tanzania

^cDepartment of Chemical Sciences, University of Johannesburg, Auckland Park, Johannesburg

^dDepartment of Physics and Astronomy, Botswana International University of Science and Technology, Private Bag 16, Palapye, Botswana

^eDepartment of Physical Sciences, South Eastern Kenya University, P O Box 17090200, Kitui, Kenya

*Corresponding author: Tel: +267 493 1880, Email: kingonduc@biust.ac.bw




Figure S1: SEM image of (a) HHPB11650_60 (b) HHPB11700_60 (c) HHPB11750_60




Figure S2: TEM image of (a) HHPB11650_60 (b) HHPB11700_60 (c) HHPB11750_60