

A convenient catalytic method for preparation of new tetrahydropyrido[2,3-*d*]pyrimidines *via* a cooperative vinylogous anomeric based oxidation

Hassan Sepehrmansourie,^a Sima Kalhor,^a Mahmoud Zarei,^{*b} Mohammad Ali Zolfigol*^a and Mojtaba Hosseini fard^c

^a Department of Organic Chemistry, Faculty of Chemistry, Bu-Ali Sina University, Hamedan 6517838683, Tel: +988138282807, Fax: +988138380709 Iran. *E-Mail:* mahmoud8103@yahoo.com or zolfi@basu.ac.ir & mzolfigol@yahoo.com.

^b Department of Chemistry, Faculty of Science, University of Qom, Qom, 37185-359, Iran. *E-Mail:* mahmoud8103@yahoo.com (M. Zarei).

^c Department of Energy, Materials and Energy Research Center, P.O. Box 31787-316, Karaj, Iran *E-mail:* m.hosseini@merc.ac.ir.







Figure S1: FT-IR spectra of *p*-Cl-benzaldehyde in percent of MIL-125(Ti)-NH₂ and MIL-125(Ti)-N(CH₂PO₃H₂)₂.




*FT-IR spectrum of 5-(4-chlorophenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4 tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A1).*




^1H -NMR spectrum of 5-(4-chlorophenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4 tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A1).




FT-IR spectrum of 1,3-dimethyl-7-(1-methyl-1H-pyrrol-2-yl)-2,4-dioxo-5-(p-tolyl)-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-6-carbonitrile (A2).




¹H-NMR spectrum of 1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-5-(*p*-tolyl)-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A2).




^{13}C -NMR spectrum of 1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-5-(*p*-tolyl)-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A2).




*FT-IR spectrum of 5-(4-methoxyphenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A3).*




¹H-NMR spectrum of 5-(4-methoxyphenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A3).




^{13}C -NMR spectrum of 5-(4-methoxyphenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A3).




FT-IR spectrum of 1,3-dimethyl-7-(1-methyl-1H-pyrrol-2-yl)-2,4-dioxo-5-phenyl-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-6-carbonitrile (A4).




¹H-NMR spectrum of 1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-5-phenyl-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A4).




^{13}C -NMR spectrum of 1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-5-phenyl-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A4).




*FT-IR spectrum of 1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-5-(*m*-tolyl)-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A5).*




¹H-NMR spectrum of 1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-5-(*m*-tolyl)-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A5).




^{13}C -NMR spectrum of 1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-5-(*m*-tolyl)-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A5).




*FT-IR spectrum of 5-(4-fluorophenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A6).*




¹H-NMR spectrum of 5-(4-fluorophenyl)-1,3-dimethyl-7-(1-methyl-1H-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-6-carbonitrile (A6).




^{13}C -NMR spectrum of 5-(4-fluorophenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A6).




FT-IR spectrum of 5-(4-hydroxyphenyl)-1,3-dimethyl-7-(1-methyl-1H-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-6-carbonitrile (A7).




^1H -NMR spectrum of 5-(4-hydroxyphenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A7).




^{13}C -NMR spectrum of 5-(4-hydroxyphenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A7).




FT-IR spectrum of 5-(2-methoxyphenyl)-1,3-dimethyl-7-(1-methyl-1H-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-6-carbonitrile (A8).




¹H-NMR spectrum of 5-(2-methoxyphenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A8).




^{13}C -NMR spectrum of 5-(2-methoxyphenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A8).




FT-IR spectrum of 5-(4-bromophenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A9).




^1H -NMR spectrum of 5-(4-bromophenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A9).




^{13}C -NMR spectrum of 5-(4-bromophenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A9).




*FT-IR spectrum of 1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-5-(4-nitrophenyl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A10).*




^1H -NMR spectrum of 1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-5-(4-nitrophenyl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A10).




^{13}C -NMR spectrum of 1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-5-(4-nitrophenyl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A10).



FT-IR spectrum of 5-(2,4-dichlorophenyl)-1,3-dimethyl-7-(1-methyl-1H-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-6-carbonitrile (A11).




¹H-NMR spectrum of 5-(2,4-dichlorophenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A11).




^{13}C -NMR spectrum of 5-(2,4-dichlorophenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A11).


TUESDAY, JANUARY 01, 2002 12:30 AM




FT-IR spectrum of 5-(3-hydroxyphenyl)-1,3-dimethyl-7-(1-methyl-1H-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-6-carbonitrile (A12).




¹H-NMR spectrum of 5-(3-hydroxyphenyl)-1,3-dimethyl-7-(1-methyl-1H-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-6-carbonitrile (A12).




^{13}C -NMR spectrum of 5-(3-hydroxyphenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A12).




*FT-IR spectrum of 5-(2-chlorophenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A13).*




¹H-NMR spectrum of 5-(2-chlorophenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A13).




^{13}C -NMR spectrum of 5-(2-chlorophenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A13).




*FT-IR spectrum of 5-(4-isopropylphenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A14).*




¹H-NMR spectrum of 5-(4-isopropylphenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A14).




^{13}C -NMR spectrum of 5-(4-isopropylphenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A14).




*FT-IR spectrum of 5-(3-ethoxy-4-hydroxyphenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A15).*




^1H -NMR spectrum of 5-(3-ethoxy-4-hydroxyphenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A15).




^{13}C -NMR spectrum of 5-(3-ethoxy-4-hydroxyphenyl)-1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A15).




*FT-IR spectrum of 1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-5-(naphthalen-1-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A16).*




¹H-NMR spectrum of 1,3-dimethyl-7-(1-methyl-1H-pyrrol-2-yl)-5-(naphthalen-1-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-6-carbonitrile (A16).




^{13}C -NMR spectrum of 1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-5-(naphthalen-1-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile (A16).



*FT-IR spectrum of 5,5'-(1,4-phenylene)bis(1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile) (A17).*





^{13}C -NMR spectrum of 5,5'-(1,4-phenylene)bis(1,3-dimethyl-7-(1-methyl-1*H*-pyrrol-2-yl)-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-6-carbonitrile) (A17).