

Supplemental data table

Chronic unpredictability mild stress source

Days	Stressor1	Stressor2	Stressor3
Days	Stressor1	Food deprivation Stressor2	Noise Stressor3
15		48 h	4 h
1	Tail pinch	Water deprivation	Noise
16	Inverted light cycle 2 min 24 h	Tail pinch 24 h 2 min	Water deprivation 4 h
2	Food deprivation	Swimming in the ice	45°C high
17	Wet bedding 48 h 24 h	Cage tilt 45° water 5 min 24 h	Empty bottle placement 24 h
3	Swimming in the ice	Food deprivation	Inverted light cycle
18	Tail pinch water 5 min 2 min	24 h	24 h
4	Empty bottle	Noise	Cage tilt 45°
19	Cage tilt 45° placement 24 h 24 h	4 h	Wet bedding 24 h 24 h
5	Food deprivation	Water deprivation	Wet bedding
20	Noise 24 h 4 h	Food deprivation 24 h 24 h	Swimming in the ice 24 h water 5 min
6	45°C high temperature 5 min	45°C high Water deprivation temperature 5 min	Tail pinch Water deprivation 2 min
21	Tail pinch	24 h	48 h
7	Food deprivation	Food deprivation	Inverted light cycle
22	2 min 48 h	Inverted light cycle 48 h 24 h	Tail pinch 24 h 2 min
8	Empty bottle	Wet bedding	Food deprivation
23	Empty bottle placement 24 h placement 24 h	Noise 24 h 4 h	Cage tilt 45° 24 h 24 h
9	Water deprivation	Swimming in the ice	Inverted light cycle
24	45°C high temperature 5 min	Swimming in the ice water 5 min water 5 min	Wet bedding 24 h 24 h
10	Food deprivation	45°C high Cage tilt 45° Cage tilt 45° 24 h 24 h	Tail pinch Wet bedding 2 min
25	48 h	24 h	24 h
11	Noise	Empty bottle	Water deprivation
26	Water deprivation 4 h 48 h	Food deprivation placement 24 h	Tail pinch 24 h 2 min
12	Inverted light cycle	24 h	45°C high
27	Swimming in the ice 24 h water 5 min	Food deprivation Empty bottle placement 24 h	Water deprivation temperature 5 min
13	Food deprivation	Water deprivation	24 h
28	24 h	45°C high temperature 5 min	Cage tilt 45° Food deprivation 24 h 24 h
14	Swimming in the ice water 5 min	45°C high temperature 5 min	Wet bedding 24 h

Days	Stressor1	Stressor2	Stressor3
29	Tail pinch 2 min	Water deprivation 48 h	Inverted light cycle 24 h
30	Food deprivation 48 h	Noise 4 h	Swimming in the ice water 5 min
31	Empty bottle placement 24 h	Wet bedding 24 h	/
32	45°C high temperature 5 min	Water deprivation 24 h	Cage tilt 45° 24 h
33	/	Swimming in the ice water 5 min	Food deprivation 48 h
34	Food deprivation 24 h	Tail pinch 2 min	Empty bottle placement 24 h
35	Water deprivation 48 h	Cage tilt 45° 24 h	45°C high temperature 5 min
36	Noise 4 h	Food deprivation 48 h	/
37	Wet bedding 24 h	Inverted light cycle 24 h	Water deprivation 24 h
38	Swimming in the ice water 5 min	45°C high temperature 5 min	Empty bottle placement 24 h
39	Water deprivation 48 h	Inverted light cycle 24 h	Wet bedding 24 h
40	Water deprivation 24 h	Empty bottle placement 24 h	Food deprivation 24 h
41	/	45°C high temperature 5 min	Inverted light cycle 24 h
42	Cage tilt 45° 24 h	/	Water deprivation 48 h

Days	Stressor1	Stressor2	Stressor3
43	Tail pinch 2 min	Noise 4 h	Food deprivation 48 h
44	Wet bedding 24 h	Water deprivation 24 h	/
45	Food deprivation 24 h	Cage tilt 45° 24 h	Swimming in the ice water 5 min
46	Noise 4 h	Water deprivation 48 h	Empty bottle placement 24 h
47	Water deprivation 24 h	Swimming in the ice water 5 min	Wet bedding 24 h
48	Food deprivation 48 h	/	Tail pinch 2 min
49	Inverted light cycle 24 h	Food deprivation 24 h	Water deprivation 48 h
50	/	45°C high temperature 5 min	Water deprivation 24 h
51	Empty bottle placement 24 h	Cage tilt 45° 24 h	Noise 4 h
52	Wet bedding 24 h	Food deprivation 48 h	Inverted light cycle 24 h
53	Tail pinch 2 min	Food deprivation 24 h	45°C high temperature 5 min
54	Noise 4 h	Water deprivation 24 h	Water deprivation 48 h
55	Cage tilt 45° 24 h	Swimming in the ice water 5 min	Food deprivation 24 h
56	/	Noise 4 h	Empty bottle placement 24 h