

## **Discovery of novel $\beta$ -elemene hybrids with hydrogen sulfide releasing moiety possessing cardiovascular protective activity for the treatment of atherosclerosis**

Wenjian Zhu,<sup>‡a</sup> Hongyu Wu,<sup>‡a</sup> Chen He,<sup>a</sup> Huajian Zhu,<sup>a</sup> Hong Yao,<sup>a</sup> Yun Cao,<sup>b</sup> Yueman Shi,<sup>c</sup> Xiaotong Chen,<sup>c</sup> Xue Feng,<sup>c</sup> Shengtao Xu,<sup>\*a</sup> Zheyang Zhu<sup>d</sup> and Jinyi Xu<sup>\*a</sup>

<sup>a</sup> State Key Laboratory of Natural Medicines and Department of Medicinal Chemistry, China Pharmaceutical University, 24 Tong Jia Xiang, Nanjing 210009, PR China

<sup>b</sup> Jinling High School, Nanjing, Jiangsu, 210005, China

<sup>c</sup> 50 Dongbei Street Development Zone, CSPC Yuanda (Dalian) Pharmaceutical CO., LTD, Dalian, Liaoning, 116600, China

<sup>d</sup> Division of Molecular Therapeutics & Formulation, School of Pharmacy, The University of Nottingham, University Park Campus, Nottingham NG7 2RD, UK

\* Corresponding authors e-mail address: jinyixu@china.com (Jinyi Xu); cpuxst@cpu.edu.cn (Shengtao Xu).

<sup>‡</sup> These authors contributed equally to this work



## Table of Contents

<b><sup>1</sup>H NMR and <sup>13</sup>C NMR Spectrum of Target Compounds.....</b>	<b>S3</b>
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-1a</b> .....	S3
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-1b</b> .....	S4
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-2a</b> .....	S5
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-2b</b> .....	S6
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-2c</b> .....	S7
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-2d</b> .....	S8
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-2e</b> .....	S9
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-2f</b> .....	S10
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-2g</b> .....	S11
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-2h</b> .....	S12
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-3a</b> .....	S13
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-3b</b> .....	S14
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-3c</b> .....	S15
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-3d</b> .....	S16
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-4a</b> .....	S17
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L13-4b</b> .....	S18
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L14-2a</b> .....	S19
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L14-2b</b> .....	S20
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L14-4a</b> .....	S21
<sup>1</sup> H NMR and <sup>13</sup> C NMR of compound <b>L14-4b</b> .....	S22
HPLC purity profile of compound <b>L13-2h</b> .....	S23



# <sup>1</sup>H NMR and <sup>13</sup>C NMR Spectrum of Target Compounds.

## <sup>1</sup>H NMR and <sup>13</sup>C NMR of compound L13-1a



adt-3-hpsg-lxx-20210515, 1.fid  
adt-3-hpsg-lxx 1h cdcl3





$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound **L13-1b**





# $^1\text{H}$ NMR and $^{13}\text{C}$ NMR of compound L13-2a





$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound **L13-2b**





$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound L13-2c





$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound L13-2d





# $^1\text{H}$ NMR and $^{13}\text{C}$ NMR of compound L13-2e





$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound L13-2f





$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound L13-2g





# $^1\text{H}$ NMR and $^{13}\text{C}$ NMR of compound L13-2h





$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound **L13-3a**





$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound **L13-3b**





$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound L13-3c





$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound L13-3d





$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound **L13-4a**





$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound L13-4b





$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound **L14-2a**





$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound L14-2b



$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound **L14-4a**



$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR of compound L14-4b




# HPLC purity profile of compound L13-2h



样 品 名 : L13-2h  
方法文件名 : 95%MeCN+5%H2O

<色谱图>



<峰表>

检测器A 254nm

峰号	保留时间	面积	高度	浓度	面积%	面积/高度
1	3.889	17676	3134	0.425	0.425	5.639
2	5.586	2394	249	0.058	0.058	9.609
3	6.435	6779	639	0.163	0.163	10.605
4	7.734	26364	1879	0.634	0.634	14.029
5	8.218	4090897	395994	98.390	98.390	10.331
6	9.309	13726	699	0.330	0.330	19.647
总计		4157836	402595		100.000	