

Supporting Information

Micro-flower like 1T-2H-MoS₂@ZIF8@C composites for efficient interfacial solar vapor generation

Yulong Zheng^a, Hui Zhang^a, Pei Han^a, Zhaoshun Zhang^a, Xueqin Zuo^{*, b}, Qun Yang^{*, b}, Huaibao

Tang^b, Shaowei Jin^b, Guang Li^{*, a,c},

^a School of Materials Science and Engineering, Anhui University, Hefei 230601, China.

^b School of Physics and Optoelectrics, Anhui University, Hefei 230601, China.

^c Anhui Key Laboratory of Information Materials and Devices, Anhui University, Hefei 230601,
China.




Figure S1. SEM images for (a) pure ZIF8 (b) ZIF8@C-700 (c) ZIF8@C-800 (d) ZIF8@C-900.

*E-mail: (Xq. Z) 06028@ahu.edu.cn.

*E-mail: (G. L.) liguang1971@ahu.edu.cn.

*E-mail: (Q. Y) qyoung@ahu.edu.cn.




Figure S2. Image of solar evaporation device.




Figure S3. The mass change of pure water under dark evaporation.




Figure S4. XPS spectra of the MS-ZC-8 sample: C 1S




Figure S5. (a) Water mass change, (b) Evaporation rate, (c) Evaporation efficiency.