

Supporting Information

Enzymatically Synthesized Lactose Caprate using Immobilized *Candida Rugosa* Lipase into ZIF-8 and Investigation of its Anticancer Applications against K562 Leukemia and Hela Cancer Cells

Effat Karimian,^a Afsaneh Marandi,^a Reihaneh Kardanpour,^a Sara Rafiei,^a Zahra Amirghofran,^b Shahram Tangestaninejad,^{*a} Majid Moghadam,^{*a} Valiollah Mirkhani^a and Iraj mohammadpoor-Baltork^a

^a Department of Chemistry, Catalysis Division, University of Isfahan, Isfahan 81746-73441, Iran. E-mails: stanges@sci.ui.ac.ir, moghadamm@sci.ui.ac.ir.

^b Immunology Department and Autoimmune Diseases Research Centre. Shiraz University of Medical Sciences, Shiraz. Iran.

Table of Contents

Figure S1: FTIR spectra of (a) lactose sugar, (b) capric acid, and(c) lactose caprate ester.

Figure S2: HPLC chromatograms of the reaction mixture of lactose and capric acid in acetone. at flow rate is 1 mL min⁻¹.




Figure S1: FTIR spectra of (a) lactose sugar, (b) capric acid, and (c) lactose caprate ester.




Figure S2: HPLC chromatograms of the reaction mixture of lactose and capric acid in acetone. Flow rate is 1 mLmin⁻¹.