

Cobalt-assisted Route to Rare Carbocyclic C-Ribonucleosides


A. C. Ojeda-Porras,^a V. Roy,^{*,a} O. Bourzikat,^a P. Favetta^a and L. A. Agrofoglio^{*,a}

a. Université d'Orléans et CNRS, ICOA, UMR 7311, F-45067, Orléans, France.
E-mail : luigi.agrofoglio@univ-orleans.fr


Contents


I.	NMR Spectra of all synthesized compounds.....	2
II.	3D view of best conformer of compounds 2 and 3 using Cheminfo.org	46

(3aR,6aR)-2,2-dimethyl-3a,6a-dihydro-4H-cyclopenta[d][1,3]dioxol-4-one (1)





(3aR,6R,6aR)-2,2-dimethyl-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxol-4-one (2)







(3aS,4S,6R,6aR)-2,2-dimethyl-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxol-4-ol (3)







(3aS,4S,6R,6aR)-2,2-dimethyl-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxol-4-ol (3)
[CDCl₃+D₂O]






(3aR,4R,6R,6aR)-4-iodo-2,2-dimethyl-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxole (4)







(±)-2-iodocyclopentan-1-ol (6)




(\pm)-*tert*-butyl((2-iodocyclopentyl)oxy)dimethylsilane (7)





(\pm)-*tert*-butyldimethyl((2-phenylcyclopentyl)oxy)silane (8)




(3aS,4S,6R,6aR)-2,2-dimethyl-4-phenyl-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxole (9a)




(3aS,4S,6R,6aR)-4-(4-fluorophenyl)-2,2-dimethyl-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxole (9b)




(3aS,4S,6R,6aR)-4-(4-methoxyphenyl)-2,2-dimethyl-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxole (9c)




(3aS,4S,6R,6aR)-2,2-dimethyl-4-(4-(trifluoromethoxy)phenyl)-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxole (9d)




3-((3aS,4S,6aR)-2,2-dimethyl-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxol-4-yl)-2-methylpyridine (9e)




(3aS,4S,6R,6aR)-2,2-dimethyl-4-(naphthalen-2-yl)-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxole (9f)




(3aS,4S,6R,6aR)-4-(3-methoxynaphthalen-2-yl)-2,2-dimethyl-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxole (9g)




(3aS,4S,6R,6aR)-2,2-dimethyl-4-(naphthalen-1-yl)-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxole (9h)




(3aS,4S,6R,6aR)-4-(2,4-difluoro-5-methylphenyl)-2,2-dimethyl-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxole (9i)




3-((3a*S*,4*S*,6*R*,6*aR*)-2,2-dimethyl-6-vinyltetrahydro-4*H*-cyclopenta[*d*][1,3]dioxol-4-yl)pyridine (9j)




5-((3aS,4S,6R,6aR)-2,2-dimethyl-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxol-4-yl)-2-fluoropyridine (9k)




4-((3aS,4S,6R,6aR)-2,2-dimethyl-6-vinyltetrahydro-4H-cyclopenta[d][1,3]dioxol-4-yl)benzonitrile (9l)




**((3aR,4R,6S,6aS)-2,2-dimethyl-6-phenyltetrahydro-4H-cyclopenta[d][1,3]dioxol-4-yl)methanol
(10a)**




((3aR,4R,6S,6aS)-6-(4-fluorophenyl)-2,2-dimethyltetrahydro-4H-cyclopenta[d][1,3]dioxol-4-yl)methanol (10b)




((3aR,4R,6S,6aS)-6-(4-methoxyphenyl)-2,2-dimethyltetrahydro-4H-cyclopenta[d][1,3]dioxol-4-yl)methanol (10c)




((3aR,4R,6S,6aS)-2,2-dimethyl-6-(4-(trifluoromethoxy)phenyl)tetrahydro-4H-cyclopenta[d][1,3]dioxol-4-yl)methanol (10d)




(3aR,4R,6S,6aS)-2,2-dimethyl-6-(2-methylpyridin-3-yl)tetrahydro-4H-cyclopenta[d][1,3]dioxol-4-yl)methanol (10e)




(3aR,4R,6S,6aS)-2,2-dimethyl-6-(naphthalen-2-yl)tetrahydro-4H-cyclopenta[d][1,3]dioxol-4-ylmethanol (10f)




(3aR,4R,6S,6aS)-6-(3-methoxynaphthalen-2-yl)-2,2-dimethyltetrahydro-4H-cyclopenta[d][1,3]dioxol-4-yl)methanol (10g)




(3aR,4R,6S,6aS)-2,2-dimethyl-6-(naphthalen-1-yl)tetrahydro-4H-cyclopenta[d][1,3]dioxol-4-ylmethanol (10h)




((3aR,4R,6S,6aS)-6-(2,4-difluoro-5-methylphenyl)-2,2-dimethyltetrahydro-4H-cyclopenta[d][1,3]dioxol-4-yl)methanol (10i)




((3aR,4R,6S,6aS)-2,2-dimethyl-6-(pyridin-3-yl)tetrahydro-4H-cyclopenta[d][1,3]dioxol-4-yl)methanol (10j)




((3aR,4R,6S,6aS)-6-(6-fluoropyridin-3-yl)-2,2-dimethyltetrahydro-4H-cyclopenta[d][1,3]dioxol-4-yl)methanol (10k)




4-((3aS,4S,6R,6aR)-6-(hydroxymethyl)-2,2-dimethyltetrahydro-4H-cyclopenta[d][1,3]dioxol-4-yl)benzonitrile (10l)




1S,2R,3R,5S)-3-(hydroxymethyl)-5-phenylcyclopentane-1,2-diol (11a)




(1R,2S,3S,5R)-3-(4-fluorophenyl)-5-(hydroxymethyl)cyclopentane-1,2-diol (11b)




(1S,2R,3R,5S)-3-(hydroxymethyl)-5-(4-methoxyphenyl)cyclopentane-1,2-diol (11c)





(1S,2R,3R,5S)-3-(hydroxymethyl)-5-(4-(trifluoromethoxy)phenyl)cyclopentane-1,2-diol (11d)




(1S,2R,3R,5S)-3-(hydroxymethyl)-5-(2-methylpyridin-3-yl)cyclopentane-1,2-diol (11e)




(1*S*,2*R*,3*R*,5*S*)-3-(hydroxymethyl)-5-(naphthalen-2-yl)cyclopentane-1,2-diol (11f)





(1*S*,2*R*,3*R*,5*S*)-3-(hydroxymethyl)-5-(3-methoxynaphthalen-2-yl)cyclopentane-1,2-diol (11g)




(1S,2R,3R,5S)-3-(hydroxymethyl)-5-(naphthalen-1-yl)cyclopentane-1,2-diol (11h)




(1*R*,2*S*,3*S*,5*R*)-3-(2,4-difluoro-5-methylphenyl)-5-(hydroxymethyl)cyclopentane-1,2-diol (11i)




(1S,2R,3R,5S)-3-(hydroxymethyl)-5-(pyridin-3-yl)cyclopentane-1,2-diol (11j)




(1R,2S,3S,5R)-3-(6-fluoropyridin-3-yl)-5-(hydroxymethyl)cyclopentane-1,2-diol (11k)



4-((1S,2S,3R,4R)-2,3-dihydroxy-4-(hydroxymethyl)cyclopentyl)benzonitrile (11l)




3D view (JSmol viewer) of best conformer of compound 2 calculated by Cheminfo



(from http://www.cheminfo.org/flavor/scgc/3D_models/2D_to_3D/index.html)

3D view (JSmol viewer) of best conformer of compound 3 calculated by Cheminfo



(from http://www.cheminfo.org/flavor/scgc/3D_models/2D_to_3D/index.html)