

Supporting Information II

Total Synthesis of 1,4a-di-*epi-ent*-Pancratistatin, Exemplifying a Stereodivergent Approach to Pancratistatin Isomers

Chunzhao Sun,^a Tsubasa Inokuma,^{a,b} Daisuke Tsuji,^c Yousuke Yamaoka,^d Reiko Akagi,^c and Ken-ichi Yamada^{a,b*}

^a Graduate School of Pharmaceutical Sciences, Tokushima University, Shomachi, Tokushima 770-8505, Japan

^b Research Cluster on “Key Material Development”, Tokushima University, Shomachi, Tokushima 770-8505, Japan.



^c Faculty of Pharmacy, Yasuda Women’s University, Asaminami-ku, Hiroshima 731-0153, Japan


^d School of Pharmacy, Hyogo Medical University, Chuo-ku, Kobe, Hyogo 650-8530, Japan
yamak@tokushima-u.ac.jp

Contents


Copies of ¹ H, ¹³ C and HMQC NMR spectra.....	S2
---	----

1. Copies of ^1H , ^{13}C and HMQC NMR spectra







Compound Z-8 ¹H NMR 500 MHz CDCl₃




Compound Z-8 ¹³C NMR 125 MHz CDCl₃




Compound 9 ¹H NMR 400 MHz CDCl₃




Compound 9 ¹³C NMR 125 MHz CDCl₃




Compound 13 $^1\text{H NMR}$ 400 MHz CDCl_3




Compound 13 $^{13}\text{C NMR}$ 100 MHz CDCl_3




Compound 14 ^1H NMR 400 MHz CDCl_3




Compound 14 ^{13}C NMR 100 MHz CDCl_3




Compound 16 ¹H NMR 500 MHz DMSO-d₆




Compound 16 ¹H NMR 400 MHz CD₃OD




Compound 16 ^{13}C NMR 100 MHz DMSO- d_6



Compound 16 HMQC 500 MHz DMSO- d_6



Compound S3 $^1\text{H NMR}$ 500 MHz CDCl_3



Compound S3 $^{13}\text{C NMR}$ 125 MHz CDCl_3