



Supplementary Table 1 β -Diversity of the fecal microbiotas based on PCA and PCoA analysis.

Supplementary Table 2 Primers used for quantitative real-time PCR

Gene	Forward Primer (5'-3')	Reverse Primer (5'-3')
<i>β-actin</i>	CATCCGTAAAGACCTCTATGCCAAC	ATGGAGCCACCGATCCACA
<i>Cd36</i>	ATTAATGGCACAGACGCAGC	AGGCATTGGCTGGAAGAACA
<i>Pparγ</i>	GCCCTTCACTACTGTTGACTTCTCC	CAGGCTCCACTTTGATTGCACTTTG
<i>Acc1</i>	GGAGATGTACGCTGACCGAG	TACCCGACGCATGGTTTTCA
<i>Fasn</i>	TGGTCACAGACGATGACAGGA	AGGCGTCGAACTTGGACAGA
<i>Srebp1c</i>	GACTGACTTCCAGGACCTGTTGTG	GGAGGAGGCTTCTTTGCTGTGAG
<i>Scd1</i>	TTCTTGCGATACTCTGGTGC	CGGGATTGAATGTTCTTGTCGT
<i>Cpt1a</i>	CTCCGCCTGAGCCATGAAG	CACCAGTGATGATGCCATTCT
<i>Pparaα</i>	CTCTGGCAGCGAATGTAGGAAGTC	GCACGGTAGACCAAGGCTGTTAG