

Electronic supplementary information (ESI)

Comprehensive investigation of multifunctional polyaniline/reduced graphene oxide nanocomposites synthesized from deep eutectic solvents: Experimental, RSM, ANN and computational studies

Abir Boublia ^{a,1}, Zahir Guezzout ^b, Nacerddine Haddaoui ^a, Michael Badawi ^c, Imane Lakikza ^d, Ilyas Belkhattab ^e, Ouahiba Moumeni ^f, Saoussen Imene Aouni ^d, Manawwer Alam ^g, Yacine Benguerba ^{h,*}

^a *Laboratoire de Physico-Chimie des Hauts Polymères (LPCHP), Département de Génie des Procédés, Faculté de Technologie, Université Ferhat ABBAS Sétif-1, 19000, Sétif, **Algeria***

^b *Unité de Recherche sur les Matériaux Emergents –Sétif- URMES, Equipe de Valorisation Des Polymères, Université Ferhat ABBAS Sétif-1, 19000, Sétif, **Algeria***

^c *Université de Lorraine, CNRS, L2CM, F-57000 Metz, **France***

^d *Laboratory of physics for matter and radiation, Mohamed Cherif Messadia-souk Ahras University, PO Box 1553 SoukAhras, 41000, **Algeria***

^e *Laboratory of Electrochemistry-Corrosion, Metallurgy and Inorganic Chemistry, Faculty of Chemistry, USTHB, BP 32 El-Alia, 16111 Algiers, **Algeria***

^f *Laboratoire d'Electrochimie des Matériaux Moléculaires et Complexes (LEMMC), Département de Génie des Procédés, Faculté de Technologie, Université Ferhat Abbas Setif-1, El-Maabouda, 19000, Sétif, **Algeria***

^g *Department of Chemistry, College of Science, King Saud University, PO Box 2455, Riyadh, 11451, **Saudi Arabia***

^h *Laboratoire de Biopharmacie Et Pharmacotechnie (LPBT), Ferhat Abbas Sétif 1 University, 19000, Sétif, **Algeria***

¹First authorship: Abir Boublia

***Corresponding authors:**

E-mail address: yacinebenguerba@univ-setif.dz (Yacine Benguerba)

Caption**Page No.**

Figure S1. FT-IR spectra showing the various functional groups present in rGO.

S2

Figure S2. FT-IR spectra showing the various functional groups present in pure PANI.

S2




Figure S1. FT-IR spectra showing the various functional groups present in rGO.




Figure S2. FT-IR spectra showing the various functional groups present in pure PANI.