

Supplementary Information File

Fabrication of 2D graphene oxide incorporated S-scheme Sn₂S₃-In₂S₃ heterojunction for enhanced photocatalytic mineralization of organic pollutants

**Zia ul Haq, Aaliya Qureashi, Irfan Nazir, Firdous Ahmad Ganaie, Arshid Bashir,
Lateef Ahmad Malik, Altaf Hussain Pandith***

*Key Laboratory of Nanoscience and Quantum Computations, Department of Chemistry,
University of Kashmir, India*

*Corresponding Author:

(Prof. Altaf Hussain Pandith)

Department of Chemistry

University of Kashmir

Srinagar-190006

India

Phone: +91-194-2424900(OFFICE)

+91-7006429021 (Mobile)

Fax: +91-194-2414049

E-mail: altafpandit23@gmail.com




Fig. S1a EDS spectra of Sn_2S_3 - In_2S_3 /GO (a), elemental mapping of Sn_2S_3 - In_2S_3 /GO (b).




Fig. S1b EDS spectra of In_2S_3 , and elemental mapping images of In_2S_3 .





Fig. S1c (a) EDS spectra of Sn_2S_3 , and elemental mapping images of Sn_2S_3 .






Fig. S2 GC-MS analysis of products of Crystal Violet Dye degradation by $\text{Sn}_2\text{S}_3\text{-In}_2\text{S}_3/\text{GO}$.