

***Electronic Supporting Information***

**Utilization of DMSO as a solvent-cum-reactant: Synthesis of fused 2-aryl-4-methylquinolines**


Sabina Yashmin,<sup>a</sup> Karthik AM,<sup>a</sup> Abu Taleb Khan,\*<sup>a</sup>

<sup>a</sup>Department of Chemistry, Indian Institute of Technology Guwahati, Guwahati-781 039, Assam, India, Tel.: +91 361 2582305. Fax: +91 361 2582349, E-mail: [atk@iitg.ac.in](mailto:atk@iitg.ac.in)

<b>Content</b>	<b>Page No.</b>
General information and methods	S2
Crystal structure, data and structure refinement for compound 3g	S2-S3
NMR and HRMS spectra of all the compounds	S4-S99
HRMS of reaction intermediates	S100-S102

## General information and methods

All chemicals were obtained from commercial sources and were used without further purifications. Reactions were monitored via TLC, prepared using silica gel for TLC with binder and fluorescence indicator GF254. The chromatography separation was carried out using 60–120 mesh-sized silica gel. Melting points were determined on a melting point apparatus and are uncorrected.  $^1\text{H}$  and  $^{13}\text{C}$  NMR spectra were recorded on 400, 500, and 600 MHz and 100, 125, and 150 MHz NMR spectrometers. Chemical shifts ( $\delta$  scale) are reported in parts per million (ppm). TMS was used as an internal reference; The  $^1\text{H}$  and  $^{13}\text{C}$  spectra are referenced for  $\text{CDCl}_3$  at 7.26 and 77.16 ppm respectively.  $^1\text{H}$  NMR spectra are reported in the order: multiplicity, coupling constant ( $J$  value) in hertz (Hz), and no. of protons; signals were characterized as s (singlet), d (doublet), t (triplet), m (multiplet), and bs (broad). IR spectra were recorded on an IR spectrophotometer. HRMS spectra were recorded using ESI and APCI (TOF) mode. The crystal structure was determined using a single crystal XRD diffractometer. Complete crystallographic data of **3g** (CCDC no. 2291148) for the structural analysis have been deposited with the Cambridge Crystallographic Data Centre, Copies of this information may be obtained free of charge from the Director, Cambridge Crystallographic Data Centre, 12 Union Road, Cambridge CB2 1EZ, UK, (fax: +44-1223-336033, e-mail: deposit@ccdc.cam.ac.uk or via: [www.ccdc.cam.ac.uk](http://www.ccdc.cam.ac.uk)).




**Figure S1.** ORTEP diagrams of compound **3g**

**Table S1.** Crystal data and structure refinement for compound **3g**



Entry	Identification code	Compound 3g
01	Empirical formula	C <sub>20</sub> H <sub>15</sub> NO
02	Formula weight	285.3
03	Temperature	297 K
04	Wavelength	0.71073
05	Radiation type	MoK\alpha
06	Radiation system	Fine-focus sealed tube
07	Crystal system	Monoclinic
08	Space group	P 21/n
09	Cell length	a=16.9016 (15) b=8.6430 (8) c=21.0199 (8)
10	Cell angle	$\alpha$ =90 $\beta$ =108.891 (3) $\gamma$ =90
11	Cell volume	2905.2 (5)
12	Density	1.305
13	Completeness to theta	99.4
14	Absorption correction	multi-scan
15	Refinement method	Full-matrix least-squares on F2
16	Index ranges	-10<=h<=10, -24<=k<=24, -13<=l<=13
17	Reflection number	3415
18	Theta (max)	25.02
19	Theta (min)	2.57
20	Cell formula units Z	4
21	CCDC no	2291148

**<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of compound 1bc**




**<sup>13</sup>C{<sup>1</sup>H} NMR (100 MHz, CDCl<sub>3</sub>) Spectrum of compound 1bc**

ATK-K-2NA-ES-13C.3.fid  
ATK-K-2NA-ES-13C




### HRMS spectrum of compound 1bc

Sample3	Position	P1-A2	Instrument Name	QTOF
SYSTEM (SYSTEM)	Inj Vol	5	InjPosition	
Sample	IRM Calibration Status	Success	Data Filename	sy-2na es.d
DIRECT MASS_POSITIVE_100_1500.m	Comment		Acquired Time	13-Sep-23 0




**<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) Spectrum of compound 1bd**

ATK-KM-2NA-AMD-1H.1.fid — ATK-KM-2NA-AMD-1H




<sup>13</sup>C{<sup>1</sup>H} NMR (100 MHz, CDCl<sub>3</sub>) Spectrum of compound 1bd

KM-2NA-AMD-13C.1.fid  
KM-2NA-AMD-13C




### HRMS spectrum of compound 1bd


sample2	Position	P1-A1	Instrument Name	QTOF
SYSTEM (SYSTEM)	Inj Vol	5	InjPosition	
Sample	IRM Calibration Status	Success	Data Filename	sy-2na am.d
DIRECT MASS_POSITIVE_100_1500.m	Comment		Acquired Time	13-Sep-23 09:



<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) Spectrum of compound 1b




<sup>13</sup>C{<sup>1</sup>H} NMR (100 MHz, CDCl<sub>3</sub>) Spectrum of compound 1b




### HRMS spectrum of compound 1b

SY-Q22 PMS	Position	P1-A1	Instrument Name	QTOF
SYSTEM (SYSTEM)	Inj Vol	5	InjPosition	
Sample	IRM Calibration Status	Success	Data Filename	SY-Q22 PMS.d
DIRECT MASS_POSITIVE_100_1500.m	Comment		Acquired Time	04-Sep-23 09:2




**<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 3a**




**$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3a**

ATK-SY-Q1-13C.1.fid — ATK-SY-Q1-13C




## HRMS spectrum of compound 3a

Sample Name	ATK-Q1	Position	P1-D3	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	ATK-Q1_016.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	27-Nov-22 08:36:18 PM (UTC+05:30)




**<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 3b**





**$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3b**

ATK-SY-Q2-13C.1.fid — ATK-SY-Q2-13C



### HRMS spectrum of compound 3b

Sample Name	ATK_SY_Q2_POS	Position	P1-D2	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	ATK_SY_Q2_POS_006.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Feb-23 05:11:18 PM (UTC+05:30)





<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of compound 3c

ATK-SY-Q3-1H.1.fid — ATK-SY-Q3-1H

9.42  
9.40  
7.96  
7.94  
7.88  
7.85  
7.77  
7.71


7.71  
7.70  
7.69  
7.68  
7.55  
7.53  
7.51  
7.47  
7.45  
7.43  
7.41  
7.39  
7.39  
7.26

— 2.82




**$^{13}\text{C}\{^1\text{H}\}$  NMR (100 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3c**

ATK-SY-Q3-13C.10.fid  
ATK-SY-Q3-13C





## HRMS spectrum of compound 3c


Sample Name	ATK_SY_Q3_POS	Position	P1-D9	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	ATK_SY_Q3_POS_014.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Feb-23 05:24:00 PM (UTC+05:30)



**<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 3d**




**$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3d**





**<sup>19</sup>F NMR (471 MHz, CDCl<sub>3</sub>) spectrum of compound 3d**

ATK-SY-Q47-19F.3.fid — ATK-SY-Q47-19F




### HRMS spectrum of compound 3d

Sample Name	Sample25	Position	P1-C3	Instrument Name	QTOF
User Name	SYSTEM (SYSTEM)	Inj Vol	5	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	SY-Q47.d
ACQ Method	DIRECT MASS_POSITIVE_01_1.m	Comment		Acquired Time	13-Jul-23 11:47:31 AM (UTC+05:30)




<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 3e





$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3e

ATK-SY-Q4-13C.3.fid — ATK-SY-Q4-13C




### HRMS spectrum of compound 3e

Sample Name	ATK_SY_Q4_POS	Position	P1-D5	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	ATK_SY_Q4_POS_009.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Feb-23 05:16:05 PM (UTC+05:30)




**<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 3f**





$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3f

ATK-SY-Q7-13C.1.fid — ATK-SY-Q7-13C




### HRMS spectrum of compound 3f


Sample Name	ATK_SY_Q7_POS	Position	P1-D6	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	ATK_SY_Q7_POS_010.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Feb-23 05:17:39 PM (UTC+05:30)



**<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of compound 3g**




$^{13}\text{C}\{\text{H}\}$  NMR (150 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3g




### HRMS spectrum of compound 3g

Sample Name	SY_98	Position	P1-B1	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	SY_98_010.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Aug-22 12:24:36 AM (UTC+05:30)




**<sup>1</sup>H NMR (600 MHz, CDCl<sub>3</sub>) spectrum of compound 3h**





$^{13}\text{C}\{\text{H}\}$  (150 MHz,  $\text{CDCl}_3$ ) NMR spectrum of compound 3h

ATK-SY-Q10-13C — 13C —




### HRMS spectrum of compound 3h

Sample Name	ATK_SY_Q10_POS	Position	P1-C9	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	ATK_SY_Q10_POS_004.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Feb-23 05:06:49 PM (UTC+05:30)




<sup>1</sup>H NMR (600 MHz, CDCl<sub>3</sub>) spectrum of compound 3i





$^{13}\text{C}\{\text{H}\}$  NMR (150 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3i

ATK-SY-Q12-13C  
13C




### HRMS spectrum of compound 3i

Sample Name	SY_1NA_5BR	Position	P1-A6	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	SY_1NA_5BR_006.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Aug-22 12:17:11 AM (UTC+05:30)




**$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3j**

ATK-SY-Q9-A-1H.3.fid — ATK-SY-Q9-A-1H





**$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3j**

ATK-SY-Q9-13C.1.fid — ATK-SY-Q9-13C




## HRMS spectrum of compound 3j

Sample Name	Sample44	Position	P1-D10	Instrument Name	QTOF
User Name	SYSTEM (SYSTEM)	Inj Vol	5	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	Q 9.d
ACQ Method	DIRECT MASS_POSITIVE_01_1.m	Comment		Acquired Time	22-May-23 11:37:31 AM (UTC+05:30)




**<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of compound 3k**





**$^{13}\text{C}\{\text{H}\}$  NMR (100 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3k**

ATK-SY-Q22-13C.2.fid — ATK-SY-Q22-13C




## HRMS spectrum of compound 3k


Sample Name	ATK_SY_Q22 RM_POS	Position	P1-C8	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	ATK_SY_Q22 RM_POS_003.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Feb-23 05:05:15 PM (UTC+05:30)



<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 3l




**$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3l**




**<sup>19</sup>F NMR (471 MHz, CDCl<sub>3</sub>) spectrum of compound 3l**

SY-Q28-19F.1.fid — SY-Q28-19F




## HRMS spectrum of compound 3l

Sample Name	ATK_SY_Q28_POS	Position	P1-E2	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	ATK_SY_Q28_POS_016.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Feb-23 05:27:12 PM (UTC+05:30)




**<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of compound 3m**




$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3m

ATK-SY-Q26-13C.1.fid — ATK-SY-Q26-13C




### HRMS spectrum of compound 3m

Sample Name	ATK-SY-Q26-POS_N	Position	P2-B1	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	ATK-SY-Q26-POS_N_111.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	27-Jan-23 10:03:30 PM (UTC+05:30)




**<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of compound 3n**

ATK-SY-Q25-1H.1.fid — ATK-SY-Q25-1H




**$^{13}\text{C}\{\text{H}\}$  NMR (100 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3n**

ATK-SY-Q25-13C.3.fid — ATK-SY-Q25-13C




### HRMS spectrum of compound 3n

Sample Name	Sample12	Position	P1-A11	Instrument Name	QTOF
User Name	SYSTEM (SYSTEM)	Inj Vol	5	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	SY-Q25.d
ACQ Method	DIRECT MASS_POSITIVE_01_1.m	Comment		Acquired Time	27-Jul-23 10:31:08 AM (UTC+05:30)




**<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 3o**




**$^{13}\text{C}\{^1\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3o**

ATK-SY-Q18-13C.3.fid — ATK-SY-Q18-13C




## HRMS spectrum of compound 3o

Sample Name	ATK-SY-Q18-POS_N	Position	P1-F9	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	ATK-SY-Q18-POS_N_108.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	27-Jan-23 09:58:41 PM (UTC+05:30)




**<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of compound 3p**

ATK-SY-P60S-1H.1.fid — ATK-SY-P60S-1H




$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3p

ATK-SY-P60S-13C.1.fid — ATK-SY-P60S-13C




### HRMS spectrum of compound 3p




**<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 3q**

AD-SY-Q27-1H.1.fid — AD-SY-Q27-1H




**$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3q**





**<sup>19</sup>F NMR (471 MHz, CDCl<sub>3</sub>) spectrum of compound 3q**

SY-Q27-19F.1.fid — SY-Q27-19F




## HRMS spectrum of compound 3q

Sample Name	ATK_SY_Q27_POS	Position	P1-D1	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	ATK_SY_Q27_POS_005.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Feb-23 05:09:23 PM (UTC+05:30)




<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 3r





**$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3r**

ATK-SY-Q20-13C.1.fid — ATK-SY-Q20-13C




### HRMS spectrum of compound 3r

Sample Name	ATK_SY_Q20_POS	Position	P1-D7	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	ATK_SY_Q20_POS_012.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Feb-23 05:20:49 PM (UTC+05:30)




**<sup>1</sup>H NMR (400 MHz, DMSO-d<sub>6</sub>) spectrum of compound 3s**




$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz, DMSO- $d_6$ ) spectrum of compound 3s

ATK-SY-Q32-13C.1.fid — ATK-SY-Q32-13C




### HRMS spectrum of compound 3s

Sample Name	Sample13	Position	P1-B1	Instrument Name	QTOF
User Name	SYSTEM (SYSTEM)	Inj Vol	5	Inj Position	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	SY-Q32.d
ACQ Method	DIRECT MASS_POSITIVE_01_1.m	Comment		Acquired Time	27-Jul-23 10:36:30 AM (UTC+05:30)





**<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 3t**




<sup>13</sup>C{<sup>1</sup>H} NMR (125 MHz, CDCl<sub>3</sub>) spectrum of compound 3t

ATK-SY-Q42-13C.1.fid — ATK-SY-Q42-13C





**<sup>19</sup>F NMR (471 MHz, CDCl<sub>3</sub>) spectrum of compound 3t**

SY-Q42-19F.2.fid — SY-Q42-19F




### HRMS spectrum of compound 3t

Sample Name	Sample25	Position	P1-C3	Instrument Name	QTOF
User Name	SYSTEM (SYSTEM)	Inj Vol	5	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	BS.SYQ42.d
ACQ Method	DIRECT MASS_POSITIVE_100_1500.m	Comment		Acquired Time	16-Jun-23 10:38:22 AM (UTC+05:30)




**<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of compound 3u**





**$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3u**

ATK-SY-Q46-13C.1.fid — ATK-SY-Q46-13C



### HRMS spectrum of compound 3u

Sample Name	Sample22	Position	P1-B11	Instrument Name	QTOF
User Name	SYSTEM (SYSTEM)	Inj Vol	5	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	SY-Q46.d
ACQ Method	DIRECT MASS_POSITIVE_01_1.m	Comment		Acquired Time	13-Jul-23 11:4





**<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 3v**

ATK-SY-Q36-1H.1.fid — ATK-SY-Q36-1H


9.27  
8.41  
8.18  
8.16  
8.13  
8.12  
8.11  
8.07  
8.06  
8.03  
8.01  
7.92  
7.90  
7.80  
7.62  
7.61  
7.60  
7.59  
7.58  
7.51  
7.49  
7.26

— 3.29




**$^{13}\text{C}\{^1\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3v**

ATK-SY-Q36-13C.3.fid — ATK-SY-Q36-13C




### HRMS spectrum of compound 3v

Sample14	Position	P1-B3	Instrument Name	QTOF
SYSTEM (SYSTEM)	Inj Vol	5	InjPosition	
Sample	IRM Calibration Status	Success	Data Filename	SY-Q36.d
DIRECT MASS_POSITIVE_100_1500.m	Comment		Acquired Time	05-Sep-23 : :




**<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 3w**





$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 3w

ATK-SY-Q45-13C.1.fid — ATK-SY-Q45-13C




### HRMS spectrum of compound 3w

Sample Name	Sample24	Position	P1-C2	Instrument Name	QTOF
User Name	SYSTEM (SYSTEM)	Inj Vol	5	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	SY-Q45.d
ACQ Method	DIRECT MASS_POSITIVE_01_1.m	Comment		Acquired Time	13-Jul-23 11:45:29 AM (UTC+05:30)




**<sup>1</sup>H NMR (400 MHz, DMSO-d<sub>6</sub>) spectrum of compound 3x**





**<sup>13</sup>C{<sup>1</sup>H} NMR (125 MHz, DMSO-*d*<sub>6</sub>) spectrum of compound 3x**

ATK-SY-Q30-13C.3.fid — ATK-SY-Q30-13C




## HRMS spectrum of compound 3x

Sample Name	ATK_SY_Q30_POS	Position	P1-E5	Instrument Name	Instrument 1
User Name		Inj Vol	10	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	ATK_SY_Q30_POS_019.d
ACQ Method	FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Feb-23 05:31:58 PM (UTC+05:30)




**<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 4a**

SY-Q39-1H.3.fid — SY-Q39-1H





$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 4a

SY-Q39-13C.1.fid — SY-Q39-13C




### HRMS spectrum of compound 4a

Sample Name	Sample35	Position	P1-C9	Instrument Name	QTOF
User Name	SYSTEM (SYSTEM)	Inj Vol	5	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	positive.SY-Q39.d
ACQ Method	DIRECT MASS_POSITIVE_100_1000.m	Comment		Acquired Time	09-Jun-23 12:17:16 PM (UTC+05:30)




**<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 4b**

ATK-SY-Q41-1H.3.fid — ATK-SY-Q41-1H




**$^{13}\text{C}\{\text{H}\}$  NMR (125 MHz,  $\text{CDCl}_3$ ) spectrum of compound 4b**





**<sup>19</sup>F NMR (471 MHz, CDCl<sub>3</sub>) spectrum of compound 4b**

SY-Q41-19F.1.fid — SY-Q41-19F




## HRMS spectrum of compound 4b

Sample Name	Sample24	Position	P1-C2	Instrument Name	QTOF
User Name	SYSTEM (SYSTEM)	Inj Vol	5	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	BS.SYQ41.d
ACQ Method	DIRECT MASS_POSITIVE_100_1500.m	Comment		Acquired Time	16-Jun-23 10:36:34 AM (UTC+05:30)




<sup>1</sup>H NMR (500 MHz, CDCl<sub>3</sub>) spectrum of compound 4c




$^{13}\text{C}\{\text{H}\}$  (125 MHz,  $\text{CDCl}_3$ ) NMR spectrum of compound 4c

ATK-SY-Q48-13C.1.fid — ATK-SY-Q48-13C




### HRMS spectrum of compound 4c

Sample Name	Sample23	Position	P1-C1	Instrument Name	QTOF
User Name	SYSTEM (SYSTEM)	Inj Vol	5	InjPosition	
Sample Type	Sample	IRM Calibration Status	Success	Data Filename	SY-Q48.d
ACQ Method	DIRECT MASS_POSITIVE_01_1.m	Comment		Acquired Time	13-Jul-23 11:43:22 AM (UTC+05:30)




## HRMS spectrum of reaction intermediate B

ATK_SY_Q22 RM_POS	Position	P1-C8	Instrument Name	Instrun
	Inj Vol	10	InjPosition	
Sample	IRM Calibration Status	Success	Data Filename	ATK_SI
FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Feb




## HRMS spectrum of reaction intermediate D

ATK_SY_Q22 RM_POS	Position	P1-C8	Instrument Name	Instrument 1
	Inj Vol	10	InjPosition	
Sample	IRM Calibration Status	Success	Data Filename	ATK_SY_Q22 RM_
FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Feb-23 05:05::



## HRMS spectrum of reaction intermediate H

ATK_SY_Q22 RM_POS	Position	P1-C8	Instrument Name	Instrument 1
	Inj Vol	10	InjPosition	
Sample	IRM Calibration Status	Success	Data Filename	ATK_SY_Q22 RM
FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Feb-23 05:05



### HRMS spectrum of intermediate L of compound 3k

ATK_SY_Q22 RM_POS	Position	P1-C8	Instrument Name	Instrument 1
	Inj Vol	10	InjPosition	
Sample	IRM Calibration Status	Success	Data Filename	ATK_SY_Q22 RM_POS.d
FULL SCAN-POSITIVE.m	Comment		Acquired Time	28-Feb-23 05:05:15

