

Electronic Supplementary Information (ESI) for

Magnetically Recyclable Spherical Cu₂O@Fe₃O₄ S-Scheme Heterojunction for Efficient Tetracycline Removal via Visible Light-Activated Peroxydisulfate.

Jiahao Wang,^a Lianyue Zhang,^a Haiyue Zhang,^a Runyu Cai,^a Hengda Jin,^a man Xu,^{*ac} Xuan Cao^{*abd} and Shuhua Yao^{*a}

^a.Shenyang University of Chemical Technology, Shenyang 110142, China.

^b.School of Engineering, Westlake University, Hangzhou 310024, China.

^c.Instrumental Analysis Center, Shenyang University of Chemical Technology, Shenyang 110142, China.

^d.Muyuan Laboratory, Center for Interdisciplinary Research and Innovation, Zhengzhou, Henan 450016, China

*Correspondence E-mail: xuman.jlu@vip.163.com

Supplementary Information

Figure S1. (a) SEM images of Fe_3O_4 synthesized with $\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$. (b) SEM images of the Fe_3O_4 synthesized without $\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$.




Figure S2. The degradation effect of $\text{Cu}_2\text{O}@Fe_3\text{O}_4$ and Cu_2O on TC