Dye degradation and antimicrobial efficacy of $\frac{\text{cesium-doped}}{\text{docking study}}$ nanostructures: In silico

Muhammad Ikram^{a,b*}, Yasir Shabir^c, Ali Haider^{d*}, Iram Shahzadi^e, Muhammad Bilal^a, Anwar Ul-Hamid^{f*}, Ahmed M. Fouda^g, Salamat Ali^h

^aSolar Cell Applications Research Lab, Department of Physics, Government College University Lahore, Lahore, 54000, Punjab, Pakistan

^bAdvance Nanomaterials Research Lab, Department of Physics, Government College University Lahore, Lahore, 54000, Punjab, Pakistan

^cDepartment of Physics, Riphah Institute of Computing and Applied Sciences (RICAS), Riphah International University, 14 Ali Road, Lahore, Pakistan

^dDepartment of Clinical Medicine, Faculty of Veterinary and Animal Sciences, Muhammad Nawaz Shareef, University of Agriculture, 66000, Multan, Punjab, Pakistan

^cSchool of Pharmacy, University of Management and Technology, Lahore, 54770, Pakistan ^fCore Research Facilities, King Fahd University of Petroleum & Minerals, Dhahran, 31261, Saudi Arabia

gChemistry Department, Faculty of Science, King Khalid University, Abha, 61413, P.O. Box 9004, Saudi Arabia

^hDepartment of Physics, The University of Lahore, 54000, Pakistan

Corresponding Author Email: a*dr.muhammadikram@gcu.edu.pk (Muhammad Ikram), Ali Haider (a*dr.muhammadikram@gcu.edu.pk (Muhammad Ikram), Ali Haider (ali.haider@mnsuam.edu.pk), Anwar Ul-Hamid (a*dr.muhammadikram@gcu.edu.pk (Muhammad Ikram), Ali




Fig. S1. EDS (a-d) and Mapping (e-h) image of Y2O3 and Cs (2, 4 and 6 wt.%) doped Y2O3 NSs