Supporting Information

<u>Title</u> Optical Properties and Energy Transfer of Novel KSrSc₂(PO₄)₃:Ce³⁺/Eu²⁺/Tb³⁺

Phosphor for White Light Emitting Diodes

Author(s): Mengmeng Jiao^{a,b}, Wenzhen Lv^{a,b}, Wei Lü^a, Qi Zhao^{a,b}, Baiqi Shao^{a,b}, and Hongpeng You^{a,*}

^a State Key Laboratory of Rare Earth Resource Utilization, Changchun Institute of Applied Chemistry, Chinese Academy of Sciences, Changchun 130022, P. R. China.
^b University of the Chinese Academy of Sciences, Beijing 100049, P. R. China.
*Corresponding author: E-mail: hpyou@ciac.ac.cn (H.Y.)



Figure S1. Emission spectrum of KSSP:0.02Eu²⁺ and its Gaussian components on an



energy scale.

Figure S2. Dependence of Eu^{2+} and Tb^{3+} emission intensity on (a) Tb^{3+} doping content in KSSP:0.03 Eu^{2+} , zTb^{3+} (b) Eu^{2+} doping content in KSSP: yEu^{2+} ,0.10 Tb^{3+}

phosphor.



Figure S3. Decay lifetime for Eu^{2+} ions and energy transfer efficiency for $Eu^{2+} \rightarrow Tb^{3+}$

in KSSP: $0.03Eu^{2+}$, zTb^{3+} (z = 0-0.18) phosphors