

Electronic Supplementary Information



Synthesis and Nanoparticle Encapsulation of 3,5-Difuranylvinyl-boradiazas-indacenes for Near-Infrared Fluorescence Imaging

Sehoon Kim, Tymish Y. Ohulchansky, Alexander Baev, and Paras N. Prasad*


*The Institute for Lasers, Photonics and Biophotonics, Department of Chemistry, State University of
New York, Buffalo, New York 14260-3000*

¹H NMR spectra (CDCl₃): (left) whole range, (right) magnified aromatic range


1. 2-(2-{5-[Ethoxycarbonyl]-furan-2-yl}vinyl)-1H-pyrrole (2)




2. 3,5-Bis(2-{5-[ethoxycarbonyl]-furan-2-yl}vinyl)-8-(furan-2-yl)-BODOPY (FB-O)




3. 3,5-Bis(2-{5-[ethoxycarbonyl]-furan-2-yl}vinyl)-8-(thiophen-2-yl)-BODOPY (FB-S)




4. 3,5-Bis(2-{5-[ethoxycarbonyl]-furan-2-yl}vinyl)-8-(selenophen-2-yl)-BODOPY (FB-Se)



5. 3,5-Bis(2-{5-[ethoxycarbonyl]-furan-2-yl}vinyl)-8-phenyl-BODOPY (FB-Ph)



6. 3,5-Bis(2-{5-[ethoxycarbonyl]-furan-2-yl}vinyl)-8-(5-iodofuran-2-yl)-BODOPY (FB-I1)



7. 2-Iodo-3,5-bis(2-{5-[ethoxycarbonyl]-furan-2-yl}vinyl)-8-(5-iodofuran-2-yl)-BODOPY (FB-I2)

