

Table S5-1 Statistical analysis result of all of lectins between CRC patients with good and poor prognoses based on lectin microarray combined with AAL and ABA-assisted fractionation

	Input			AAL(+)			AAL(-)			ABA(+)			ABA(-)		
	Good prognosis (n=11)	Poor prognosis (n=11)	<i>p</i>	Good prognosis (n=11)	Poor prognosis (n=11)	<i>p</i>	Good prognosis (n=11)	Poor prognosis (n=11)	<i>p</i>	Good prognosis (n=11)	Poor prognosis (n=11)	<i>p</i>	Good prognosis (n=11)	Poor prognosis (n=11)	<i>p</i>
LTL	0	0	0.315	0	0	0.209	0	0	0.948	0	0	0.277	0	0	0.948
PSA	6800	5900	0.490	4900	5900	0.768	0	0	0.315	2700	3600	0.430	2800	3300	0.511
LCA	6500	6200	0.793	6100	6200	0.669	0	0	0.451	2300	4000	0.393	3300	3600	0.718
UEA-I	0	1200	0.092	0	1200	0.092	0	0	1.000	0	1200	0.092	0	0	0.317
AOL	25700	19600	0.200	25700	19600	0.200	0	0	0.148	8700	9900	0.948	15400	11100	0.158
AAL	23800	18000	0.279	23800	18000	0.279	0	0	1.000	9200	9000	0.974	14500	9700	0.123
MAL	0	2200	<b>0.035</b>	0	2200	<b>0.035</b>	0	0	1.000	0	2200	<b>0.035</b>	0	0	0.148
SNA	19000	20200	0.224	14800	13400	0.870	0	8800	<b>0.037</b>	4800	8500	<b>0.049</b>	12100	11300	0.818
SSA	19400	20500	0.212	17000	14800	0.870	0	8200	<b>0.038</b>	5100	8600	<b>0.025</b>	13500	12900	0.793
TJA-I	29200	29600	0.412	23500	19300	0.533	0	15000	<b>0.038</b>	6700	10600	0.082	18700	21100	0.450
PHA-L	0	1800	0.058	0	1800	0.058	0	0	0.317	0	1800	<b>0.025</b>	0	0	0.545
ECA	1000	1900	0.064	1000	1900	0.051	0	0	0.948	1000	1900	<b>0.047</b>	0	0	0.262
RCA120	8100	11600	0.140	8100	11600	0.148	0	0	0.118	3600	6400	0.107	3300	3900	0.393
PHA-E	7300	9200	0.131	7300	9200	0.131	0	0	1.000	4900	6700	0.178	1600	2500	0.353
DSA	32500	35500	0.393	32500	32900	0.577	0	5400	<b>0.018</b>	12200	13500	0.224	20200	22000	0.412
GSL-II	0	0	0.317	0	0	0.317	0	0	1.000	0	0	0.317	0	0	1.000
NPA	2200	3700	0.178	1300	2400	0.341	0	1500	<b>0.027</b>	1300	2700	0.148	1400	1700	0.171
ConA	11900	13200	0.224	10000	6700	0.533	0	6100	0.053	3700	5400	0.250	7200	6900	0.895
GNA	2900	3100	0.199	1900	2700	0.138	0	0	0.948	1500	2400	0.113	0	1100	0.298
HHL	2300	2600	0.409	2300	2600	0.409	0	0	0.317	2300	2600	0.644	0	1000	0.219
ACG	5500	6700	0.293	5300	4800	0.743	0	1300	<b>0.012</b>	2600	3000	0.393	2400	3500	0.428
TxLC-I	0	1200	0.162	0	1200	0.162	0	0	1.000	0	1200	0.162	0	0	1.000
BPL	1900	5000	0.392	1900	5000	0.392	0	0	1.000	1500	5000	0.264	0	0	0.900
TJA-II	3700	7500	<b>0.035</b>	3700	7500	0.052	0	0	0.147	3500	7500	<b>0.035</b>	0	0	0.341
EEL	0	0	0.070	0	0	0.070	0	0	1.000	0	0	0.070	0	0	0.317
ABA	6300	9800	0.071	6300	7900	0.491	0	2500	<b>0.008</b>	6300	9800	0.071	0	0	1.000
LEL	34100	36400	0.491	31600	26400	0.870	0	8000	0.053	10000	14100	0.057	21200	22200	0.768
STL	27900	26000	0.309	21300	20400	0.922	0	4800	<b>0.031</b>	9600	10100	0.533	14300	15100	0.718
UDA	24200	20700	0.646	22100	12800	0.224	0	7600	0.053	8600	6400	0.532	15600	14000	0.511
PWM	6200	6400	0.200	2000	3200	0.767	0	2700	<b>0.038</b>	1700	3200	<b>0.041</b>	3300	3000	0.263
Jacalin	5700	8200	0.189	5700	5500	0.622	0	2800	<b>0.010</b>	5700	8200	0.189	0	0	1.000
PNA	0	0	0.317	0	0	0.317	0	0	1.000	0	0	0.317	0	0	1.000
WFA	1400	2400	0.148	1400	2400	0.148	0	0	1.000	300	2400	0.114	0	0	0.475
ACA	2000	4000	0.236	2000	4000	0.236	0	0	1.000	2000	4000	0.430	0	0	0.070
MPA	0	1700	0.129	0	1700	0.129	0	0	<b>0.317</b>	0	1700	0.129	0	0	1.000
HPA	0	0	0.070	0	0	0.070	0	0	0.317	0	0	0.070	0	0	1.000
VVA	0	0	0.317	0	0	0.317	0	0	1.000	0	0	0.317	0	0	1.000
DBA	0	0	0.070	0	0	0.070	0	0	1.000	0	0	0.070	0	0	1.000
SBA	0	0	0.070	0	0	0.070	0	0	1.000	0	0	0.070	0	0	1.000
Calsepa	9300	9500	0.490	5900	5900	0.742	0	2700	<b>0.045</b>	2500	4900	0.199	6100	5400	0.895
PTL-I	0	0	0.317	0	0	0.317	0	0	1.000	0	0	0.317	0	0	1.000
MAH	1100	1300	0.243	1000	1300	0.317	0	0	0.306	1100	1300	0.243	0	0	1.000
WGA	12000	18100	0.139	12000	18100	0.158	0	0	<b>0.032</b>	8900	13800	0.178	2700	3900	0.766
GSL-IA4	0	0	0.317	0	0	0.317	0	0	1.000	0	0	0.317	0	0	1.000
GSL-IB4	0	0	0.317	0	0	0.317	0	0	1.000	0	0	0.317	0	0	1.000

The values were presented as the median after gain-merging. *p*-values in bold indicate statistical significance by Mann-Whitney U test.

**Table S5-2 Statistical analysis result of all of lectins between CRC patients with good and poor prognoses based on lectin microarray combined with AAL and ABA-assisted fractionation**

	Input																					
	Good prognosis											Poor prognosis										
	1	2	3	4	5	6	7	8	9	10	11	1	2	3	4	5	6	7	8	9	10	11
LTL	0	0	0	1000	0	0	0	0	5000	0	0	1400	7500	0	0	0	1300	0	0	3800	0	0
PSA	7100	7900	6800	10500	3000	2000	4300	7100	7500	5700	4900	5900	24800	9200	5800	3300	8400	8100	3600	8300	3000	5700
LCA	7200	7900	6500	10100	2500	2300	4500	7200	8100	6300	6100	6200	26100	8700	6100	3300	8200	7100	4300	9100	4900	5500
UEA-I	0	0	2200	0	0	1500	0	2100	0	1100	0	3600	7000	1200	0	0	2600	3900	0	2800	1100	0
AOL	29700	25700	28100	23500	13500	11000	20100	30500	30500	27400	23700	27800	54000	19600	15700	10500	22100	26600	13100	26600	14200	11500
AAL	26000	23800	30700	22800	13700	11100	21700	29300	30200	24400	23400	25900	45800	18500	16400	9300	18000	25000	13400	27100	15100	14400
MAL	1200	1700	1200	0	0	0	0	0	2000	1200	0	1000	6000	4400	2200	0	2900	2000	0	8500	3600	0
SNA	19000	17900	23800	14800	9300	7700	11300	22200	21000	20500	19800	19200	36800	26900	20200	10900	21300	16400	13400	33400	25500	16900
SSA	19200	19400	26000	17000	10900	10100	10900	22800	25200	22700	21600	20500	44500	31700	22700	13200	19500	19500	12900	33700	26900	18600
TJA-I	29200	28400	34600	23500	18300	15200	19600	32300	35800	33000	31800	29600	67600	46900	31700	21200	28100	26000	19300	47000	39300	28100
PHA-L	0	0	1800	0	0	0	0	0	2800	2900	0	1900	5900	4100	1400	0	1500	2400	0	10100	1800	0
ECA	1700	1200	1200	1600	0	0	0	0	3700	0	1000	2300	13000	4600	1500	0	2500	1900	0	15000	1700	0
RCA120	12400	9800	12100	5700	5400	4300	4500	14600	7900	8100	9600	16400	17500	26600	11600	4700	7100	10300	5300	32600	15600	6500
PHA-E	7300	8700	11300	5200	2200	2300	3500	8000	7900	9600	7200	9700	14900	18600	8700	2400	6000	9200	3900	36500	17600	4100
DSA	32500	35900	32400	28600	19800	14400	27200	37300	43100	39800	39200	35500	57800	59100	35500	21500	25200	37300	21800	77400	48800	30600
GSL-II	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3900	0	0
NPA	4600	4700	4900	6800	0	1300	0	2800	2200	2200	1000	10600	10800	8000	3700	1700	7200	4300	1900	3300	2100	2100
ConA	12500	11900	11200	14700	6200	5000	8400	12400	20300	13100	10000	14300	35100	13200	12200	8600	14900	12200	6700	18400	10200	14400
GNA	2900	3800	3000	3200	0	0	0	1600	3400	2900	1900	9300	7500	9700	2200	1300	3200	2400	0	9800	2700	3100
HHL	6800	5200	5400	8900	1300	0	1700	2700	0	2300	0	10400	8500	10200	2600	0	1600	5500	1900	5600	0	2100
ACG	7500	5500	4600	2900	0	1000	1800	5500	6700	8900	8400	6700	7000	11300	7600	1600	4800	4400	4300	16900	11900	3200
TxLC-I	1400	1100	2200	0	0	0	0	1200	0	0	0	3900	3900	4000	1200	0	0	0	0	7600	1700	0
BPL	8600	6300	2900	4700	1200	0	1500	5400	1900	1300	1400	13100	7400	7400	1600	0	5000	2000	1300	28700	5900	0
TJA-II	5700	4100	5600	2000	0	1400	0	6900	3200	6400	3700	8100	11400	15800	6800	2000	6600	7500	0	23600	11300	1300
EEL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1000	0	1700	0	0	19000	0	0
ABA	9100	6300	8700	7200	1700	3800	4400	12400	4400	5900	7100	9800	17500	14400	7400	2400	7300	12100	3500	26200	14100	6700
LEL	48800	39800	26600	31600	21500	17900	22600	34100	64400	40000	37000	49600	55900	61600	33100	20600	24800	29100	21700	51100	60600	36400
STL	28100	33400	17600	20700	14400	9900	18600	28500	33500	27900	27900	39500	38500	35500	25200	12400	18900	20900	10600	37900	39400	26000
UDA	28300	28700	24200	26600	12900	8700	22100	26100	24500	18900	14000	28400	45000	28700	21000	10600	22600	20400	12800	20700	13800	12400
PWM	7500	6900	7300	6800	2000	2800	1700	1900	6200	6300	1600	12300	12600	7200	6400	4400	14800	5500	3200	21800	4700	1200
Jacalin	10000	9100	8100	8100	1500	4000	3900	12900	4200	4700	5700	10100	12900	13600	7200	3000	7600	8200	3300	28700	22500	5000
PNA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1700	0	0
WFA	2300	1800	1500	0	0	0	0	2500	1400	0	1500	6200	2800	13400	2400	0	1200	2500	0	35400	1100	0
ACA	6000	1900	4200	2500	1500	0	1700	9800	1700	2000	2000	7200	5500	3500	1900	0	4000	4500	0	19200	13800	2100
MPA	1800	0	1400	1100	0	0	0	3700	0	0	1100	3700	1700	2900	0	0	1500	3500	0	23200	9200	0
HPA	0	0	0	0	0	0	0	0	0	0	0	0	2300	0	0	0	0	5900	0	5500	0	0
VVA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16000	0	0
DBA	0	0	0	0	0	0	0	0	0	0	0	0	5400	0	0	0	0	3200	0	5500	0	0
SBA	0	0	0	0	0	0	0	0	0	0	0	1300	0	2700	0	0	0	0	0	20000	0	0
Calsepa	10200	12200	9300	12400	4200	3100	5900	10200	11700	8800	4700	12300	26800	17500	8300	5200	9500	13700	5800	10500	2200	8600
PTL-I	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	0	0
MAH	1200	1700	1100	1000	0	0	0	3600	1900	2400	0	0	9200	3800	1300	0	2800	1000	0	4900	6600	1200
WGA	17600	12000	15400	10100	5900	2900	9000	18100	16900	12600	11900	18800	20500	26700	17600	6000	9100	18100	6700	20400	21100	5200
GSL-IA4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9900	0	0
GSL-IB4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4600	0	0

**Table S5-3 Statistical analysis result of all of lectins between CRC patients with good and poor prognoses based on lectin microarray combined with AAL and ABA-assisted fractionation**

	AAL elution fraction (AAL(+))																					
	Good prognosis											Poor prognosis										
	1	2	3	4	5	6	7	8	9	10	11	1	2	3	4	5	6	7	8	9	10	11
LTL	0	0	0	1000	0	0	0	0	1000	0	0	1400	4500	0	0	0	1300	0	0	3800	0	0
PSA	7100	7900	6800	10500	3000	2000	4300	7100	4500	4700	4900	5900	18500	9200	5800	3300	6300	8100	3600	8300	1800	4100
LCA	7200	7900	6500	10100	2500	2300	4500	7200	5100	3900	6100	6200	18900	8700	6100	3300	6700	7100	4300	9100	3400	4500
UEA-I	0	0	2200	0	0	1500	0	2100	0	1100	0	3600	7000	1200	0	0	2600	3900	0	2800	1100	0
AOL	29700	25700	28100	23500	13500	11000	20100	30500	30500	27400	23700	27800	52600	19600	15700	10500	21000	26600	13100	26600	14200	11500
AAL	26000	23800	30700	22800	13700	11100	21700	29300	30200	24400	23400	25900	45800	18500	16400	9300	18000	25000	13400	27100	15100	14400
MAL	1200	1700	1200	0	0	0	0	0	2000	1200	0	1000	6000	4400	2200	0	2900	2000	0	8500	3600	0
SNA	19000	17900	23800	14800	9300	7700	11300	22200	4400	9800	19800	16100	13600	16400	11400	10900	12500	11600	13400	33400	13400	5500
SSA	19200	19400	26000	17000	10900	10100	10900	22800	6700	12800	21600	17400	21900	22100	14500	13200	10800	15800	12900	33700	14800	8300
TJA-I	29200	28400	34600	23500	18300	15200	19600	32300	7800	15000	31800	22900	31200	28800	16700	21200	11700	18200	19300	47000	18200	11200
PHA-L	0	0	1800	0	0	0	0	0	2800	2900	0	1900	5900	4100	1400	0	500	2400	0	10100	1800	0
ECA	1700	1200	1200	1600	0	0	0	0	2300	0	1000	2300	8800	4600	1500	0	2500	1900	0	15000	1700	0
RCA120	12400	9800	12100	5700	5400	4300	4500	14600	6700	8100	9600	15000	15000	21300	11600	4700	7100	10300	5300	32600	15600	5400
PHA-E	7300	8700	11300	5200	2200	2300	3500	8000	7900	9600	7200	9700	14900	18600	8700	2400	6000	9200	3900	36500	17600	4100
DSA	32500	35900	32400	28600	19800	14400	27200	37300	37000	32500	39200	33700	45600	46700	28900	21500	18700	32900	21800	77400	43400	20000
GSL-II	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3900	0	0
NPA	4600	4700	4900	6800	0	1300	0	2800	500	700	1000	8800	7500	6400	2400	1700	2400	4300	1900	3300	600	100
ConA	12500	11900	11200	14700	6200	5000	8400	12400	5800	2700	10000	10200	17500	7700	6100	8600	5900	5100	6700	18400	1400	5400
GNA	2900	3800	3000	3200	0	0	0	1600	1000	2900	1900	9300	7500	9700	2200	1300	3200	2400	0	9800	2700	2100
HHL	6800	5200	5400	8900	1300	0	1700	2700	0	2300	0	10400	8500	9100	2600	0	1600	5500	1900	5600	0	2100
ACG	7500	5500	4600	2900	0	1000	1800	5500	5300	8900	8400	6700	4900	10000	4800	1600	1000	3000	4300	16900	10600	2000
TxLC-I	1400	1100	2200	0	0	0	0	1200	0	0	0	3900	3900	4000	1200	0	0	0	0	7600	1700	0
BPL	8600	6300	2900	4700	1200	0	1500	5400	1900	1300	1400	13100	7400	7400	1600	0	5000	2000	1300	28700	5900	0
TJA-II	5700	4100	5600	2000	0	1400	0	6900	3200	6400	3700	8100	10400	15800	6800	2000	5600	7500	0	23600	11300	1300
EEL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1000	0	1700	0	0	19000	0	0
ABA	9100	6300	8700	7200	1700	3800	4400	12400	2300	3000	7100	7900	12200	8800	5100	2400	4800	8600	3500	26200	10900	1000
LEL	48800	39800	26600	31600	21500	17900	22600	34100	51200	27500	37000	44700	43700	46500	24600	20600	17400	21100	21700	51100	51300	26400
STL	28100	33400	17600	20700	14400	9900	18600	28500	25300	21300	27900	31900	29600	26600	20400	12400	12900	17000	10600	37900	35200	20100
UDA	28300	28700	24200	26600	12900	8700	22100	26100	9900	5800	14000	20800	27800	18100	14800	10600	11500	11900	12800	20700	6500	2000
PWM	7500	6900	7300	6800	2000	2800	1700	1900	1200	-1000	1600	5500	7300	6000	2500	4400	1500	2800	3200	21800	400	200
Jacalin	10000	9100	8100	8100	1500	4000	3900	12900	1500	1300	5700	8500	8900	8900	5500	3000	3600	4600	3300	28700	18800	2200
PNA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1700	0	0
WFA	2300	1800	1500	0	0	0	0	2500	1400	0	1500	6200	2800	13400	2400	0	1200	2500	0	35400	1100	0
ACA	6000	1900	4200	2500	1500	0	1700	9800	1700	2000	2000	7200	5500	3500	1900	0	4000	4500	0	19200	13800	2100
MPA	1800	0	1400	1100	0	0	0	3700	0	0	1100	3700	1700	2900	0	0	1500	2400	0	23200	9200	0
HPA	0	0	0	0	0	0	0	0	0	0	0	0	2300	0	0	0	-1000	5900	0	5500	0	0
VVA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16000	0	0
DBA	0	0	0	0	0	0	0	0	0	0	0	0	5400	0	0	0	0	3200	0	5500	0	0
SBA	0	0	0	0	0	0	0	0	0	0	0	1300	0	2700	0	0	0	0	0	20000	0	0
Calsepa	10200	12200	9300	12400	4200	3100	5900	10200	2400	3000	4700	9700	15700	11900	5900	5200	5800	11000	5800	10500	-1900	1900
PTL-I	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	0	0
MAH	1200	1700	1100	1000	0	0	0	3600	200	2400	0	0	6100	3800	1300	0	1300	1000	0	4900	6600	100
WGA	17600	12000	15400	10100	5900	2900	9000	18100	16900	12600	11900	18800	20500	24500	17600	6000	7500	18100	6700	20400	19900	4200
GSL-IA4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9900	0	0
GSL-IB4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4600	0	0



**Table S5-5 Statistical analysis result of all of lectins between CRC patients with good and poor prognoses based on lectin microarray combined with AAL and ABA-assisted fractionation**

	ABA elution fraction (ABA(+))																					
	Good prognosis											Poor prognosis										
	1	2	3	4	5	6	7	8	9	10	11	1	2	3	4	5	6	7	8	9	10	11
LTL	0	0	0	1000	0	0	0	0	2900	0	0	1400	5900	0	0	0	1300	0	0	3800	0	0
PSA	4300	3800	4300	5400	1900	700	2700	4600	1400	1400	400	4500	14300	4900	3200	1900	5100	5500	2200	3600	-2700	-1600
LCA	4400	4100	3800	5400	1200	2300	1700	3900	2000	900	1800	4900	14100	4500	2900	1700	4600	4500	2800	4000	-500	-1900
UEA-I	0	0	2200	0	0	1500	0	2100	0	1100	0	3600	5800	1200	0	0	2600	3900	0	2800	1100	0
AOL	13100	8700	12700	11400	4600	5200	8100	14300	7300	12200	7200	15400	24900	10100	8800	5200	11000	13500	7500	9900	3400	-1700
AAL	11500	9200	13200	11800	4300	5900	9300	16200	7500	8100	6600	14600	20500	9700	9400	5300	9000	12200	8300	8800	5400	1900
MAL	1200	1700	1200	0	0	0	0	0	2000	1200	0	1000	4500	3400	2200	0	2900	2000	0	8500	3600	0
SNA	7500	5200	6000	7600	1700	1400	2800	10100	4100	4800	4100	10500	8500	9700	7600	3900	10000	6600	7400	23700	9300	-2100
SSA	5900	4800	6500	8600	2400	2300	2300	9300	4000	5100	5400	11300	14400	11400	8500	4700	6600	8600	6600	22200	9100	-1000
TJA-I	11900	9700	8600	10500	5700	4000	6700	12400	6300	4800	5600	14500	19000	18800	10600	7100	8500	10200	6600	23800	11200	300
PHA-L	0	0	1800	0	0	0	0	0	1300	2900	0	1900	4800	4100	1400	0	1500	2400	0	7600	1800	0
ECA	1700	1200	1200	1600	0	0	0	0	2200	0	1000	2300	9400	3300	1500	0	2500	1900	0	12000	1700	0
RCA120	8600	9800	4600	3600	3200	2800	1500	11300	2500	3500	3800	13200	3700	16200	6900	3500	4800	6400	3800	19500	12000	1200
PHA-E	5700	7100	7700	5200	2200	2300	2500	6800	2600	4900	4900	9700	10500	12000	6200	2400	4300	6700	3900	25700	14400	600
DSA	10600	12500	12200	12100	7700	6300	9300	19100	15000	12600	14500	17200	21200	22100	13500	11900	10800	12900	7600	46300	28200	5200
GSL-II	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3900	0	0
NPA	3200	3000	3100	4900	0	1300	0	2800	800	200	1000	8700	7200	5500	2700	1700	4600	3200	1900	1600	1100	-900
ConA	7200	2800	3800	6500	2700	3100	2700	5200	7900	3700	2800	9000	17800	6300	5400	3500	7000	5300	4200	11700	1400	1500
GNA	2900	2800	1500	3200	0	0	0	1600	1200	1300	1900	7700	5600	8300	2200	1300	3200	2400	0	6700	1600	-300
HHL	4600	3500	4100	6800	1300	0	1700	2700	0	2300	0	7300	6400	6600	2600	0	600	4500	1900	3500	0	100
ACG	5000	3100	700	1800	0	1000	200	5500	2600	4500	3200	6700	2900	5500	2300	-200	1300	3000	4300	13300	8400	-1100
TxLC-I	1400	1100	2200	0	0	0	0	1200	0	0	0	3900	3900	4000	1200	0	0	0	0	7600	1700	0
BPL	6400	4400	2900	4700	1200	0	1500	5400	800	1300	1400	11300	5300	7400	1600	0	5000	2000	1300	20700	5900	0
TJA-II	5700	4100	4400	2000	0	1400	0	6900	1400	3500	3700	8100	9500	12200	5200	2000	6600	7500	0	19300	11300	200
EEL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1000	0	1700	0	0	17000	0	0
ABA	9100	6300	8700	7200	1700	3800	4400	12400	4400	5900	7100	9800	17500	14400	7400	2400	7300	12100	3500	26200	14100	6700
LEL	19900	10800	5700	10400	6400	7700	7400	17500	24400	9500	10000	28900	20400	26900	10700	9900	11000	14100	10800	28900	35100	3300
STL	11500	10900	6300	10200	6400	5500	6800	14200	7300	9700	9600	19100	11200	16600	10100	5400	7700	9000	4900	20500	26900	4400
UDA	10200	8600	9000	13000	4500	2200	9100	10200	600	-1800	-1600	12000	15500	11400	8000	3000	10400	6400	5700	5200	3000	-6500
PWM	4200	3600	2400	2600	500	800	1700	800	1800	400	0	6400	6700	4700	1900	1700	4500	3000	3200	15200	1700	-1000
Jacalin	10000	9100	8100	8100	1500	4000	3900	12900	4200	4700	5700	10100	12900	13600	7200	3000	7600	8200	3300	28700	22500	5000
PNA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1700	0	0
WFA	2300	1800	1500	0	0	0	0	2500	300	0	1500	6200	2800	10700	2400	0	1200	2500	0	29000	1100	0
ACA	6000	1900	4200	2500	1500	0	1700	9800	1700	2000	2000	7200	5500	3500	1900	0	4000	4500	0	16400	12600	800
MPA	1800	0	1400	1100	0	0	0	3700	0	0	1100	3700	1700	2900	0	0	1500	3500	0	23200	9200	0
HPA	0	0	0	0	0	0	0	0	0	0	0	0	2300	0	0	0	0	5900	0	5500	0	0
VVA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16000	0	0
DBA	0	0	0	0	0	0	0	0	0	0	0	0	5400	0	0	0	0	3200	0	5500	0	0
SBA	0	0	0	0	0	0	0	0	0	0	0	1300	0	2700	0	0	0	0	0	20000	0	0
Calsepa	4100	5700	3600	6100	1800	1800	2500	5100	700	500	-1600	7200	10900	7000	3600	2200	4900	7900	3900	5100	-3700	-5600
PTL-I	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	0	0
MAH	1200	1700	1100	1000	0	0	0	3600	1900	2400	0	0	9200	3800	1300	0	2800	1000	0	4900	6600	1200
WGA	14700	9600	9800	10100	4600	2900	7100	15400	8900	8800	6800	17100	14600	16600	11700	6000	9100	13800	6700	18200	17200	1100
GSL-IA4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9900	0	0
GSL-IB4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4600	0	0

